

Appendix 5-12: Water Year 2007 Water Quality Data for STA-2

Nenad Iricanin and Guy Germain

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	5/3/2006	13:00:00	0	Dissolved Oxygen (mg/L)	7.64
G328	5/3/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.072
G328	5/3/2006	13:00:00	0	pH	7.9
G328	5/3/2006	13:00:00	0	Specific Conductivity (µS/cm)	614
G328	5/3/2006	13:00:00	0	Temperature (°C)	25.6
G328	5/3/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.081
G328	5/3/2006	13:00:00	0	Total Phosphorus (mg/L)	0.106
G328	5/10/2006	13:35:00	0	Alkalinity (mg/L)	170
G328	5/10/2006	13:35:00	0	Ammonia as N (mg/L)	0.075
G328	5/10/2006	13:35:00	0	Dissolved Chloride (mg/L)	77.6
G328	5/10/2006	13:35:00	0	Dissolved Oxygen (mg/L)	6.07
G328	5/10/2006	13:35:00	0	Nitrate + Nitrite (mg/L)	0.283
G328	5/10/2006	13:35:00	0	Orthophosphate as P (mg/L)	0.045
G328	5/10/2006	13:35:00	0	pH	8.07
G328	5/10/2006	13:35:00	0	Specific Conductivity (µS/cm)	649
G328	5/10/2006	13:35:00	0	Sulfate (mg/L)	35.4
G328	5/10/2006	13:35:00	0	Temperature (°C)	27.7
G328	5/10/2006	13:35:00	0	Total Dissolved Phosphorus (mg/L)	0.055
G328	5/10/2006	13:35:00	0	Total Dissolved Solids (mg/L)	423
G328	5/10/2006	13:35:00	0	Total Phosphorus (mg/L)	0.08
G328	5/10/2006	13:35:00	0	Turbidity (NTU)	9.4
G328	5/17/2006	13:00:00	0	Dissolved Oxygen (mg/L)	4.21
G328	5/17/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.019
G328	5/17/2006	13:00:00	0	pH	7.16
G328	5/17/2006	13:00:00	0	Specific Conductivity (µS/cm)	675
G328	5/17/2006	13:00:00	0	Temperature (°C)	25.6
G328	5/17/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.032
G328	5/17/2006	13:00:00	0	Total Phosphorus (mg/L)	0.052
G328	5/17/2006	13:05:00	24	Total Phosphorus (mg/L)	0.06
G328	5/24/2006	13:40:00	0	Alkalinity (mg/L)	260
G328	5/24/2006	13:40:00	0	Ammonia as N (mg/L)	0.068
G328	5/24/2006	13:40:00	0	Dissolved Chloride (mg/L)	114
G328	5/24/2006	13:40:00	0	Dissolved Oxygen (mg/L)	5.48
G328	5/24/2006	13:40:00	0	Nitrate + Nitrite (mg/L)	1.7
G328	5/24/2006	13:40:00	0	Orthophosphate as P (mg/L)	0.027
G328	5/24/2006	13:40:00	0	pH	7.51
G328	5/24/2006	13:40:00	0	Specific Conductivity (µS/cm)	967
G328	5/24/2006	13:40:00	0	Sulfate (mg/L)	57.6
G328	5/24/2006	13:40:00	0	Temperature (°C)	27.5
G328	5/24/2006	13:40:00	0	Total Dissolved Phosphorus (mg/L)	0.039
G328	5/24/2006	13:40:00	0	Total Dissolved Solids (mg/L)	589
G328	5/24/2006	13:40:00	0	Total Phosphorus (mg/L)	0.067
G328	5/24/2006	13:40:00	0	Turbidity (NTU)	4.3
G328	5/24/2006	13:45:00	24	Total Phosphorus (mg/L)	0.056
G328	5/31/2006	13:45:00	0	Dissolved Oxygen (mg/L)	5.2
G328	5/31/2006	13:45:00	0	Orthophosphate as P (mg/L)	0.052
G328	5/31/2006	13:45:00	0	pH	7.52
G328	5/31/2006	13:45:00	0	Specific Conductivity (µS/cm)	1019
G328	5/31/2006	13:45:00	0	Temperature (°C)	28.3
G328	5/31/2006	13:45:00	0	Total Dissolved Phosphorus (mg/L)	0.077
G328	5/31/2006	13:45:00	0	Total Phosphorus (mg/L)	0.078

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	6/7/2006	12:53:00	0	Alkalinity (mg/L)	280
G328	6/7/2006	12:53:00	0	Ammonia as N (mg/L)	0.083
G328	6/7/2006	12:53:00	0	Dissolved Chloride (mg/L)	126
G328	6/7/2006	12:53:00	0	Dissolved Oxygen (mg/L)	6.17
G328	6/7/2006	12:53:00	0	Nitrate + Nitrite (mg/L)	0.797
G328	6/7/2006	12:53:00	0	Orthophosphate as P (mg/L)	0.033
G328	6/7/2006	12:53:00	0	pH	7.78
G328	6/7/2006	12:53:00	0	Specific Conductivity (µS/cm)	999
G328	6/7/2006	12:53:00	0	Sulfate (mg/L)	58.7
G328	6/7/2006	12:53:00	0	Temperature (°C)	28.5
G328	6/7/2006	12:53:00	0	Total Dissolved Phosphorus (mg/L)	0.045
G328	6/7/2006	12:53:00	0	Total Dissolved Solids (mg/L)	669
G328	6/7/2006	12:53:00	0	Total Phosphorus (mg/L)	0.072
G328	6/7/2006	12:53:00	0	Turbidity (NTU)	7.4
G328	6/14/2006	12:10:00	0	Dissolved Oxygen (mg/L)	5.53
G328	6/14/2006	12:10:00	0	Orthophosphate as P (mg/L)	0.031
G328	6/14/2006	12:10:00	0	pH	7.67
G328	6/14/2006	12:10:00	0	Specific Conductivity (µS/cm)	1056
G328	6/14/2006	12:10:00	0	Temperature (°C)	28.6
G328	6/14/2006	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.041
G328	6/14/2006	12:10:00	0	Total Phosphorus (mg/L)	0.055
G328	6/21/2006	13:30:00	0	Alkalinity (mg/L)	164
G328	6/21/2006	13:30:00	0	Ammonia as N (mg/L)	0.026
G328	6/21/2006	13:30:00	0	Dissolved Chloride (mg/L)	73.9
G328	6/21/2006	13:30:00	0	Dissolved Oxygen (mg/L)	4.97
G328	6/21/2006	13:30:00	0	Nitrate + Nitrite (mg/L)	0.683
G328	6/21/2006	13:30:00	0	Orthophosphate as P (mg/L)	0.052
G328	6/21/2006	13:30:00	0	pH	8.1
G328	6/21/2006	13:30:00	0	Specific Conductivity (µS/cm)	563
G328	6/21/2006	13:30:00	0	Sulfate (mg/L)	38.4
G328	6/21/2006	13:30:00	0	Temperature (°C)	29.9
G328	6/21/2006	13:30:00	0	Total Dissolved Phosphorus (mg/L)	0.063
G328	6/21/2006	13:30:00	0	Total Dissolved Solids (mg/L)	411
G328	6/21/2006	13:30:00	0	Total Phosphorus (mg/L)	0.084
G328	6/21/2006	13:30:00	0	Turbidity (NTU)	6.7
G328	6/28/2006	13:37:00	0	Dissolved Oxygen (mg/L)	4.14
G328	6/28/2006	13:37:00	0	Orthophosphate as P (mg/L)	0.018
G328	6/28/2006	13:37:00	0	pH	7.7
G328	6/28/2006	13:37:00	0	Specific Conductivity (µS/cm)	871
G328	6/28/2006	13:37:00	0	Temperature (°C)	29.2
G328	6/28/2006	13:37:00	0	Total Dissolved Phosphorus (mg/L)	0.031
G328	6/28/2006	13:37:00	0	Total Phosphorus (mg/L)	0.061
G328	6/28/2006	13:45:00	24	Total Phosphorus (mg/L)	0.08
G328	7/6/2006	14:05:00	0	Alkalinity (mg/L)	297
G328	7/6/2006	14:05:00	0	Ammonia as N (mg/L)	0.125
G328	7/6/2006	14:05:00	0	Dissolved Chloride (mg/L)	138
G328	7/6/2006	14:05:00	0	Dissolved Oxygen (mg/L)	4.2
G328	7/6/2006	14:05:00	0	Nitrate + Nitrite (mg/L)	0.27
G328	7/6/2006	14:05:00	0	Orthophosphate as P (mg/L)	<0.004
G328	7/6/2006	14:05:00	0	pH	8.08

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	7/6/2006	14:05:00	0	Specific Conductivity (µS/cm)	1077
G328	7/6/2006	14:05:00	0	Sulfate (mg/L)	43.3
G328	7/6/2006	14:05:00	0	Temperature (°C)	29.8
G328	7/6/2006	14:05:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G328	7/6/2006	14:05:00	0	Total Dissolved Solids (mg/L)	662
G328	7/6/2006	14:05:00	0	Total Phosphorus (mg/L)	0.037
G328	7/6/2006	14:05:00	0	Turbidity (NTU)	4.2
G328	7/6/2006	14:10:00	24	Total Phosphorus (mg/L)	0.04
G328	7/12/2006	13:00:00	0	Dissolved Oxygen (mg/L)	4.33
G328	7/12/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.009
G328	7/12/2006	13:00:00	0	pH	7.62
G328	7/12/2006	13:00:00	0	Specific Conductivity (µS/cm)	1037
G328	7/12/2006	13:00:00	0	Temperature (°C)	27.1
G328	7/12/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.02
G328	7/12/2006	13:00:00	0	Total Phosphorus (mg/L)	0.041
G328	7/19/2006	13:40:00	0	Alkalinity (mg/L)	367
G328	7/19/2006	13:40:00	0	Ammonia as N (mg/L)	0.652
G328	7/19/2006	13:40:00	0	Dissolved Chloride (mg/L)	229
G328	7/19/2006	13:40:00	0	Dissolved Oxygen (mg/L)	1.55
G328	7/19/2006	13:40:00	0	Nitrate + Nitrite (mg/L)	0.072
G328	7/19/2006	13:40:00	0	Orthophosphate as P (mg/L)	<0.004
G328	7/19/2006	13:40:00	0	pH	7.65
G328	7/19/2006	13:40:00	0	Specific Conductivity (µS/cm)	1393
G328	7/19/2006	13:40:00	0	Sulfate (mg/L)	50.9
G328	7/19/2006	13:40:00	0	Temperature (°C)	28.7
G328	7/19/2006	13:40:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G328	7/19/2006	13:40:00	0	Total Dissolved Solids (mg/L)	895
G328	7/19/2006	13:40:00	0	Total Phosphorus (mg/L)	0.026
G328	7/19/2006	13:40:00	0	Turbidity (NTU)	2.4
G328	7/19/2006	13:45:00	24	Total Phosphorus (mg/L)	0.039
G328	7/26/2006	12:45:00	0	Dissolved Oxygen (mg/L)	3.55
G328	7/26/2006	12:45:00	0	Orthophosphate as P (mg/L)	<0.004
G328	7/26/2006	12:45:00	0	pH	7.5
G328	7/26/2006	12:45:00	0	Specific Conductivity (µS/cm)	1522
G328	7/26/2006	12:45:00	0	Temperature (°C)	30.8
G328	7/26/2006	12:45:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G328	7/26/2006	12:45:00	0	Total Phosphorus (mg/L)	0.027
G328	7/26/2006	12:50:00	24	Total Phosphorus (mg/L)	0.032
G328	8/2/2006	13:55:00	0	Alkalinity (mg/L)	387
G328	8/2/2006	13:55:00	0	Ammonia as N (mg/L)	0.409
G328	8/2/2006	13:55:00	0	Dissolved Chloride (mg/L)	255
G328	8/2/2006	13:55:00	0	Dissolved Oxygen (mg/L)	3.53
G328	8/2/2006	13:55:00	0	Nitrate + Nitrite (mg/L)	0.198
G328	8/2/2006	13:55:00	0	Orthophosphate as P (mg/L)	<0.004
G328	8/2/2006	13:55:00	0	Specific Conductivity (µS/cm)	1636
G328	8/2/2006	13:55:00	0	Sulfate (mg/L)	54.2
G328	8/2/2006	13:55:00	0	Temperature (°C)	31.4
G328	8/2/2006	13:55:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G328	8/2/2006	13:55:00	0	Total Dissolved Solids (mg/L)	983
G328	8/2/2006	13:55:00	0	Total Phosphorus (mg/L)	0.025

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	8/2/2006	13:55:00	0	Turbidity (NTU)	2.6
G328	8/9/2006	12:10:00	0	Dissolved Oxygen (mg/L)	1.45
G328	8/9/2006	12:10:00	0	Orthophosphate as P (mg/L)	<0.004
G328	8/9/2006	12:10:00	0	pH	7.49
G328	8/9/2006	12:10:00	0	Specific Conductivity (µS/cm)	1620
G328	8/9/2006	12:10:00	0	Temperature (°C)	29.4
G328	8/9/2006	12:10:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G328	8/9/2006	12:10:00	0	Total Phosphorus (mg/L)	0.016
G328	8/16/2006	13:50:00	0	Alkalinity (mg/L)	349
G328	8/16/2006	13:50:00	0	Ammonia as N (mg/L)	0.099
G328	8/16/2006	13:50:00	0	Dissolved Chloride (mg/L)	160
G328	8/16/2006	13:50:00	0	Dissolved Oxygen (mg/L)	4.73
G328	8/16/2006	13:50:00	0	Nitrate + Nitrite (mg/L)	0.102
G328	8/16/2006	13:50:00	0	Orthophosphate as P (mg/L)	0.017
G328	8/16/2006	13:50:00	0	pH	7.88
G328	8/16/2006	13:50:00	0	Specific Conductivity (µS/cm)	1302
G328	8/16/2006	13:50:00	0	Sulfate (mg/L)	85.1
G328	8/16/2006	13:50:00	0	Temperature (°C)	30.3
G328	8/16/2006	13:50:00	0	Total Dissolved Phosphorus (mg/L)	0.029
G328	8/16/2006	13:50:00	0	Total Dissolved Solids (mg/L)	862
G328	8/16/2006	13:50:00	0	Total Phosphorus (mg/L)	0.051
G328	8/16/2006	13:50:00	0	Turbidity (NTU)	7
G328	8/23/2006	13:50:00	0	Dissolved Oxygen (mg/L)	3.1
G328	8/23/2006	13:50:00	0	Orthophosphate as P (mg/L)	0.039
G328	8/23/2006	13:50:00	0	pH	7.64
G328	8/23/2006	13:50:00	0	Specific Conductivity (µS/cm)	1111
G328	8/23/2006	13:50:00	0	Temperature (°C)	29.5
G328	8/23/2006	13:50:00	0	Total Dissolved Phosphorus (mg/L)	0.06
G328	8/23/2006	13:50:00	0	Total Phosphorus (mg/L)	0.109
G328	8/23/2006	13:55:00	24	Total Phosphorus (mg/L)	0.081
G328	8/31/2006	14:15:00	0	Alkalinity (mg/L)	333
G328	8/31/2006	14:15:00	0	Ammonia as N (mg/L)	0.322
G328	8/31/2006	14:15:00	0	Dissolved Chloride (mg/L)	173
G328	8/31/2006	14:15:00	0	Dissolved Oxygen (mg/L)	3.68
G328	8/31/2006	14:15:00	0	Nitrate + Nitrite (mg/L)	1.53
G328	8/31/2006	14:15:00	0	Orthophosphate as P (mg/L)	0.018
G328	8/31/2006	14:15:00	0	pH	7.48
G328	8/31/2006	14:15:00	0	Specific Conductivity (µS/cm)	1025
G328	8/31/2006	14:15:00	0	Sulfate (mg/L)	33.2
G328	8/31/2006	14:15:00	0	Temperature (°C)	27.8
G328	8/31/2006	14:15:00	0	Total Dissolved Phosphorus (mg/L)	0.03
G328	8/31/2006	14:15:00	0	Total Dissolved Solids (mg/L)	822
G328	8/31/2006	14:15:00	0	Total Phosphorus (mg/L)	0.048
G328	8/31/2006	14:15:00	0	Turbidity (NTU)	4.4
G328	8/31/2006	14:20:00	24	Total Phosphorus (mg/L)	0.093
G328	9/6/2006	13:40:00	0	Dissolved Oxygen (mg/L)	1.92
G328	9/6/2006	13:40:00	0	Orthophosphate as P (mg/L)	0.081
G328	9/6/2006	13:40:00	0	pH	7.44
G328	9/6/2006	13:40:00	0	Specific Conductivity (µS/cm)	852
G328	9/6/2006	13:40:00	0	Temperature (°C)	28.4

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	9/6/2006	13:40:00	0	Total Dissolved Phosphorus (mg/L)	0.092
G328	9/6/2006	13:40:00	0	Total Phosphorus (mg/L)	0.127
G328	9/13/2006	14:50:00	0	Alkalinity (mg/L)	417
G328	9/13/2006	14:50:00	0	Ammonia as N (mg/L)	0.91
G328	9/13/2006	14:50:00	0	Dissolved Chloride (mg/L)	274
G328	9/13/2006	14:50:00	0	Dissolved Oxygen (mg/L)	0.31
G328	9/13/2006	14:50:00	0	Nitrate + Nitrite (mg/L)	0.009
G328	9/13/2006	14:50:00	0	Orthophosphate as P (mg/L)	<0.004
G328	9/13/2006	14:50:00	0	pH	7.32
G328	9/13/2006	14:50:00	0	Specific Conductivity (µS/cm)	1690
G328	9/13/2006	14:50:00	0	Sulfate (mg/L)	55.8
G328	9/13/2006	14:50:00	0	Temperature (°C)	29.8
G328	9/13/2006	14:50:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G328	9/13/2006	14:50:00	0	Total Dissolved Solids (mg/L)	1050
G328	9/13/2006	14:50:00	0	Total Phosphorus (mg/L)	0.027
G328	9/13/2006	14:50:00	0	Turbidity (NTU)	1.1
G328	9/13/2006	15:00:00	24	Total Phosphorus (mg/L)	0.124
G328	9/20/2006	12:35:00	0	Dissolved Oxygen (mg/L)	3.62
G328	9/20/2006	12:35:00	0	Orthophosphate as P (mg/L)	0.004
G328	9/20/2006	12:35:00	0	pH	7.32
G328	9/20/2006	12:35:00	0	Specific Conductivity (µS/cm)	1444
G328	9/20/2006	12:35:00	0	Temperature (°C)	28.6
G328	9/20/2006	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G328	9/20/2006	12:35:00	0	Total Phosphorus (mg/L)	0.041
G328	9/20/2006	12:45:00	24	Total Phosphorus (mg/L)	0.043
G328	9/27/2006	13:20:00	0	Alkalinity (mg/L)	429
G328	9/27/2006	13:20:00	0	Ammonia as N (mg/L)	0.476
G328	9/27/2006	13:20:00	0	Dissolved Chloride (mg/L)	255
G328	9/27/2006	13:20:00	0	Dissolved Oxygen (mg/L)	5.16
G328	9/27/2006	13:20:00	0	Nitrate + Nitrite (mg/L)	0.13
G328	9/27/2006	13:20:00	0	Orthophosphate as P (mg/L)	<0.004
G328	9/27/2006	13:20:00	0	pH	7.44
G328	9/27/2006	13:20:00	0	Specific Conductivity (µS/cm)	1725
G328	9/27/2006	13:20:00	0	Sulfate (mg/L)	36.8
G328	9/27/2006	13:20:00	0	Temperature (°C)	30.9
G328	9/27/2006	13:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G328	9/27/2006	13:20:00	0	Total Dissolved Solids (mg/L)	1030
G328	9/27/2006	13:20:00	0	Total Phosphorus (mg/L)	0.033
G328	9/27/2006	13:20:00	0	Turbidity (NTU)	2.4
G328	9/27/2006	13:25:00	24	Total Phosphorus (mg/L)	0.049
G328	10/4/2006	12:40:00	0	Dissolved Oxygen (mg/L)	1.52
G328	10/4/2006	12:40:00	0	Orthophosphate as P (mg/L)	<0.004
G328	10/4/2006	12:40:00	0	pH	7.4
G328	10/4/2006	12:40:00	0	Specific Conductivity (µS/cm)	1793
G328	10/4/2006	12:40:00	0	Temperature (°C)	27.4
G328	10/4/2006	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.004
G328	10/4/2006	12:40:00	0	Total Phosphorus (mg/L)	0.015
G328	10/4/2006	12:45:00	24	Total Phosphorus (mg/L)	0.075
G328	10/11/2006	13:25:00	0	Alkalinity (mg/L)	418
G328	10/11/2006	13:25:00	0	Ammonia as N (mg/L)	0.797

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	10/11/2006	13:25:00	0	Dissolved Chloride (mg/L)	284.5
G328	10/11/2006	13:25:00	0	Dissolved Oxygen (mg/L)	2.84
G328	10/11/2006	13:25:00	0	Nitrate + Nitrite (mg/L)	0.037
G328	10/11/2006	13:25:00	0	Orthophosphate as P (mg/L)	<0.004
G328	10/11/2006	13:25:00	0	pH	7.7
G328	10/11/2006	13:25:00	0	Specific Conductivity (µS/cm)	1841
G328	10/11/2006	13:25:00	0	Sulfate (mg/L)	58.7
G328	10/11/2006	13:25:00	0	Temperature (°C)	27.5
G328	10/11/2006	13:25:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G328	10/11/2006	13:25:00	0	Total Dissolved Solids (mg/L)	1093
G328	10/11/2006	13:25:00	0	Total Phosphorus (mg/L)	0.024
G328	10/11/2006	13:25:00	0	Turbidity (NTU)	1.9
G328	10/18/2006	14:20:00	0	Dissolved Oxygen (mg/L)	5.69
G328	10/18/2006	14:20:00	0	Orthophosphate as P (mg/L)	0.034
G328	10/18/2006	14:20:00	0	pH	7.9
G328	10/18/2006	14:20:00	0	Specific Conductivity (µS/cm)	1374
G328	10/18/2006	14:20:00	0	Temperature (°C)	27.1
G328	10/18/2006	14:20:00	0	Total Dissolved Phosphorus (mg/L)	0.042
G328	10/18/2006	14:20:00	0	Total Phosphorus (mg/L)	0.055
G328	10/25/2006	11:50:00	0	Alkalinity (mg/L)	380
G328	10/25/2006	11:50:00	0	Ammonia as N (mg/L)	0.095
G328	10/25/2006	11:50:00	0	Dissolved Chloride (mg/L)	166.7
G328	10/25/2006	11:50:00	0	Dissolved Oxygen (mg/L)	6.28
G328	10/25/2006	11:50:00	0	Nitrate + Nitrite (mg/L)	0.409
G328	10/25/2006	11:50:00	0	Orthophosphate as P (mg/L)	0.01
G328	10/25/2006	11:50:00	0	pH	7.8
G328	10/25/2006	11:50:00	0	Specific Conductivity (µS/cm)	1412
G328	10/25/2006	11:50:00	0	Sulfate (mg/L)	49.3
G328	10/25/2006	11:50:00	0	Temperature (°C)	24.6
G328	10/25/2006	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.022
G328	10/25/2006	11:50:00	0	Total Phosphorus (mg/L)	0.034
G328	11/1/2006	13:45:00	0	Dissolved Oxygen (mg/L)	7.2
G328	11/1/2006	13:45:00	0	Orthophosphate as P (mg/L)	0.024
G328	11/1/2006	13:45:00	0	pH	8
G328	11/1/2006	13:45:00	0	Specific Conductivity (µS/cm)	1294
G328	11/1/2006	13:45:00	0	Temperature (°C)	28.9
G328	11/1/2006	13:45:00	0	Total Dissolved Phosphorus (mg/L)	0.028
G328	11/1/2006	13:45:00	0	Total Phosphorus (mg/L)	0.038
G328	11/8/2006	12:05:00	0	Alkalinity (mg/L)	381
G328	11/8/2006	12:05:00	0	Ammonia as N (mg/L)	0.444
G328	11/8/2006	12:05:00	0	Dissolved Chloride (mg/L)	243.7
G328	11/8/2006	12:05:00	0	Dissolved Oxygen (mg/L)	3.81
G328	11/8/2006	12:05:00	0	Nitrate + Nitrite (mg/L)	0.387
G328	11/8/2006	12:05:00	0	Orthophosphate as P (mg/L)	0.011
G328	11/8/2006	12:05:00	0	pH	7.7
G328	11/8/2006	12:05:00	0	Specific Conductivity (µS/cm)	1533
G328	11/8/2006	12:05:00	0	Sulfate (mg/L)	52.2
G328	11/8/2006	12:05:00	0	Temperature (°C)	24.3
G328	11/8/2006	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.02
G328	11/8/2006	12:05:00	0	Total Dissolved Solids (mg/L)	914

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	11/8/2006	12:05:00	0	Total Phosphorus (mg/L)	0.028
G328	11/8/2006	12:05:00	0	Turbidity (NTU)	3.4
G328	11/8/2006	12:10:00	24	Total Phosphorus (mg/L)	0.056
G328	11/15/2006	13:10:00	0	Dissolved Oxygen (mg/L)	1.96
G328	11/15/2006	13:10:00	0	Orthophosphate as P (mg/L)	<0.004
G328	11/15/2006	13:10:00	0	pH	7.5
G328	11/15/2006	13:10:00	0	Specific Conductivity (µS/cm)	1618
G328	11/15/2006	13:10:00	0	Temperature (°C)	24.2
G328	11/15/2006	13:10:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G328	11/15/2006	13:10:00	0	Total Phosphorus (mg/L)	0.03
G328	11/22/2006	11:10:00	0	Alkalinity (mg/L)	381
G328	11/22/2006	11:10:00	0	Ammonia as N (mg/L)	0.547
G328	11/22/2006	11:10:00	0	Dissolved Chloride (mg/L)	255.2
G328	11/22/2006	11:10:00	0	Dissolved Oxygen (mg/L)	4.32
G328	11/22/2006	11:10:00	0	Nitrate + Nitrite (mg/L)	0.246
G328	11/22/2006	11:10:00	0	Orthophosphate as P (mg/L)	<0.004
G328	11/22/2006	11:10:00	0	pH	7.8
G328	11/22/2006	11:10:00	0	Specific Conductivity (µS/cm)	1608
G328	11/22/2006	11:10:00	0	Sulfate (mg/L)	56.6
G328	11/22/2006	11:10:00	0	Temperature (°C)	18.7
G328	11/22/2006	11:10:00	0	Total Dissolved Solids (mg/L)	985
G328	11/22/2006	11:10:00	0	Total Phosphorus (mg/L)	0.017
G328	11/22/2006	11:10:00	0	Turbidity (NTU)	3.5
G328	11/29/2006	12:15:00	0	Dissolved Oxygen (mg/L)	7.13
G328	11/29/2006	12:15:00	0	Orthophosphate as P (mg/L)	0.017
G328	11/29/2006	12:15:00	0	pH	7.8
G328	11/29/2006	12:15:00	0	Specific Conductivity (µS/cm)	998
G328	11/29/2006	12:15:00	0	Temperature (°C)	20.8
G328	11/29/2006	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.025
G328	11/29/2006	12:15:00	0	Total Phosphorus (mg/L)	0.033
G328	12/6/2006	12:40:00	0	Alkalinity (mg/L)	307
G328	12/6/2006	12:40:00	0	Ammonia as N (mg/L)	0.064
G328	12/6/2006	12:40:00	0	Dissolved Chloride (mg/L)	188.3
G328	12/6/2006	12:40:00	0	Dissolved Oxygen (mg/L)	6.81
G328	12/6/2006	12:40:00	0	Nitrate + Nitrite (mg/L)	0.308
G328	12/6/2006	12:40:00	0	Orthophosphate as P (mg/L)	<0.004
G328	12/6/2006	12:40:00	0	pH	7.9
G328	12/6/2006	12:40:00	0	Specific Conductivity (µS/cm)	1256
G328	12/6/2006	12:40:00	0	Sulfate (mg/L)	46.7
G328	12/6/2006	12:40:00	0	Temperature (°C)	21.7
G328	12/6/2006	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G328	12/6/2006	12:40:00	0	Total Dissolved Solids (mg/L)	784
G328	12/6/2006	12:40:00	0	Total Phosphorus (mg/L)	0.024
G328	12/6/2006	12:40:00	0	Turbidity (NTU)	4
G328	12/13/2006	14:05:00	0	Dissolved Oxygen (mg/L)	8.29
G328	12/13/2006	14:05:00	0	Orthophosphate as P (mg/L)	0.009
G328	12/13/2006	14:05:00	0	pH	8.1
G328	12/13/2006	14:05:00	0	Specific Conductivity (µS/cm)	1114
G328	12/13/2006	14:05:00	0	Temperature (°C)	21.2
G328	12/13/2006	14:05:00	0	Total Dissolved Phosphorus (mg/L)	0.016

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	12/13/2006	14:05:00	0	Total Phosphorus (mg/L)	0.026
G328	12/20/2006	11:35:00	0	Alkalinity (mg/L)	331
G328	12/20/2006	11:35:00	0	Ammonia as N (mg/L)	0.393
G328	12/20/2006	11:35:00	0	Dissolved Chloride (mg/L)	209.7
G328	12/20/2006	11:35:00	0	Dissolved Oxygen (mg/L)	2.13
G328	12/20/2006	11:35:00	0	Nitrate + Nitrite (mg/L)	0.396
G328	12/20/2006	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G328	12/20/2006	11:35:00	0	pH	7.4
G328	12/20/2006	11:35:00	0	Specific Conductivity (µS/cm)	1368
G328	12/20/2006	11:35:00	0	Sulfate (mg/L)	48.1
G328	12/20/2006	11:35:00	0	Temperature (°C)	22.8
G328	12/20/2006	11:35:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G328	12/20/2006	11:35:00	0	Total Dissolved Solids (mg/L)	854
G328	12/20/2006	11:35:00	0	Total Phosphorus (mg/L)	0.024
G328	12/20/2006	11:35:00	0	Turbidity (NTU)	3.8
G328	12/20/2006	11:40:00	24	Total Phosphorus (mg/L)	0.047
G328	12/28/2006	12:35:00	0	Dissolved Oxygen (mg/L)	2.39
G328	12/28/2006	12:35:00	0	Orthophosphate as P (mg/L)	0.01
G328	12/28/2006	12:35:00	0	pH	7.5
G328	12/28/2006	12:35:00	0	Specific Conductivity (µS/cm)	1796
G328	12/28/2006	12:35:00	0	Temperature (°C)	20.8
G328	12/28/2006	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G328	12/28/2006	12:35:00	0	Total Phosphorus (mg/L)	0.03
G328	12/28/2006	12:40:00	24	Total Phosphorus (mg/L)	0.043
G328	1/3/2007	11:25:00	0	Alkalinity (mg/L)	376
G328	1/3/2007	11:25:00	0	Ammonia as N (mg/L)	0.795
G328	1/3/2007	11:25:00	0	Dissolved Chloride (mg/L)	253.8
G328	1/3/2007	11:25:00	0	Dissolved Oxygen (mg/L)	0.32
G328	1/3/2007	11:25:00	0	Nitrate + Nitrite (mg/L)	0.016
G328	1/3/2007	11:25:00	0	Orthophosphate as P (mg/L)	<0.004
G328	1/3/2007	11:25:00	0	pH	7.2
G328	1/3/2007	11:25:00	0	Specific Conductivity (µS/cm)	1635
G328	1/3/2007	11:25:00	0	Sulfate (mg/L)	53.8
G328	1/3/2007	11:25:00	0	Temperature (°C)	23.1
G328	1/3/2007	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G328	1/3/2007	11:25:00	0	Total Dissolved Solids (mg/L)	976
G328	1/3/2007	11:25:00	0	Total Phosphorus (mg/L)	0.021
G328	1/3/2007	11:25:00	0	Turbidity (NTU)	8.6
G328	1/10/2007	11:35:00	0	Dissolved Oxygen (mg/L)	2.54
G328	1/10/2007	11:35:00	0	Orthophosphate as P (mg/L)	<0.004
G328	1/10/2007	11:35:00	0	pH	7.5
G328	1/10/2007	11:35:00	0	Specific Conductivity (µS/cm)	1670
G328	1/10/2007	11:35:00	0	Temperature (°C)	21.7
G328	1/10/2007	11:35:00	0	Total Phosphorus (mg/L)	0.022
G328	1/17/2007	11:10:00	0	Alkalinity (mg/L)	340
G328	1/17/2007	11:10:00	0	Ammonia as N (mg/L)	0.085
G328	1/17/2007	11:10:00	0	Dissolved Chloride (mg/L)	194
G328	1/17/2007	11:10:00	0	Dissolved Oxygen (mg/L)	7.04
G328	1/17/2007	11:10:00	0	Nitrate + Nitrite (mg/L)	0.525
G328	1/17/2007	11:10:00	0	Orthophosphate as P (mg/L)	0.011

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	1/17/2007	11:10:00	0	pH	7.9
G328	1/17/2007	11:10:00	0	Specific Conductivity (µS/cm)	1318
G328	1/17/2007	11:10:00	0	Sulfate (mg/L)	48.1
G328	1/17/2007	11:10:00	0	Temperature (°C)	22.1
G328	1/17/2007	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.019
G328	1/17/2007	11:10:00	0	Total Dissolved Solids (mg/L)	832
G328	1/17/2007	11:10:00	0	Total Phosphorus (mg/L)	0.054
G328	1/17/2007	11:10:00	0	Turbidity (NTU)	28.5
G328	1/24/2007	13:20:00	0	Dissolved Oxygen (mg/L)	2.57
G328	1/24/2007	13:20:00	0	Orthophosphate as P (mg/L)	<0.004
G328	1/24/2007	13:20:00	0	pH	7.6
G328	1/24/2007	13:20:00	0	Specific Conductivity (µS/cm)	1498
G328	1/24/2007	13:20:00	0	Temperature (°C)	23.6
G328	1/24/2007	13:20:00	0	Total Phosphorus (mg/L)	0.02
G328	1/31/2007	10:45:00	0	Alkalinity (mg/L)	360
G328	1/31/2007	10:45:00	0	Ammonia as N (mg/L)	0.095
G328	1/31/2007	10:45:00	0	Dissolved Chloride (mg/L)	207
G328	1/31/2007	10:45:00	0	Dissolved Oxygen (mg/L)	6.56
G328	1/31/2007	10:45:00	0	Nitrate + Nitrite (mg/L)	0.389
G328	1/31/2007	10:45:00	0	Orthophosphate as P (mg/L)	<0.004
G328	1/31/2007	10:45:00	0	pH	8.1
G328	1/31/2007	10:45:00	0	Specific Conductivity (µS/cm)	1363
G328	1/31/2007	10:45:00	0	Sulfate (mg/L)	49.3
G328	1/31/2007	10:45:00	0	Temperature (°C)	18.4
G328	1/31/2007	10:45:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G328	1/31/2007	10:45:00	0	Total Dissolved Solids (mg/L)	861
G328	1/31/2007	10:45:00	0	Total Phosphorus (mg/L)	0.018
G328	1/31/2007	10:45:00	0	Turbidity (NTU)	4.8
G328	2/7/2007	12:00:00	0	Dissolved Oxygen (mg/L)	3.99
G328	2/7/2007	12:00:00	0	Orthophosphate as P (mg/L)	<0.004
G328	2/7/2007	12:00:00	0	pH	7.8
G328	2/7/2007	12:00:00	0	Specific Conductivity (µS/cm)	1550
G328	2/7/2007	12:00:00	0	Temperature (°C)	18.8
G328	2/7/2007	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G328	2/7/2007	12:00:00	0	Total Phosphorus (mg/L)	0.017
G328	2/14/2007	11:55:00	0	Alkalinity (mg/L)	360
G328	2/14/2007	11:55:00	0	Ammonia as N (mg/L)	0.182
G328	2/14/2007	11:55:00	0	Dissolved Chloride (mg/L)	199
G328	2/14/2007	11:55:00	0	Dissolved Oxygen (mg/L)	7.79
G328	2/14/2007	11:55:00	0	Nitrate + Nitrite (mg/L)	0.352
G328	2/14/2007	11:55:00	0	Orthophosphate as P (mg/L)	<0.002
G328	2/14/2007	11:55:00	0	pH	8
G328	2/14/2007	11:55:00	0	Specific Conductivity (µS/cm)	1342
G328	2/14/2007	11:55:00	0	Sulfate (mg/L)	45.8
G328	2/14/2007	11:55:00	0	Temperature (°C)	21.4
G328	2/14/2007	11:55:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G328	2/14/2007	11:55:00	0	Total Dissolved Solids (mg/L)	846
G328	2/14/2007	11:55:00	0	Total Phosphorus (mg/L)	0.024
G328	2/14/2007	11:55:00	0	Turbidity (NTU)	6.7
G328	2/21/2007	13:00:00	0	Dissolved Oxygen (mg/L)	7.46

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	2/21/2007	13:00:00	0	Orthophosphate as P (mg/L)	<0.002
G328	2/21/2007	13:00:00	0	pH	8.1
G328	2/21/2007	13:00:00	0	Specific Conductivity (µS/cm)	1388
G328	2/21/2007	13:00:00	0	Temperature (°C)	19.3
G328	2/21/2007	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G328	2/21/2007	13:00:00	0	Total Phosphorus (mg/L)	0.02
G328	2/28/2007	10:40:00	0	Alkalinity (mg/L)	225
G328	2/28/2007	10:40:00	0	Ammonia as N (mg/L)	0.042
G328	2/28/2007	10:40:00	0	Dissolved Chloride (mg/L)	124
G328	2/28/2007	10:40:00	0	Dissolved Oxygen (mg/L)	7.78
G328	2/28/2007	10:40:00	0	Nitrate + Nitrite (mg/L)	0.115
G328	2/28/2007	10:40:00	0	pH	8.2
G328	2/28/2007	10:40:00	0	Specific Conductivity (µS/cm)	860
G328	2/28/2007	10:40:00	0	Sulfate (mg/L)	25.6
G328	2/28/2007	10:40:00	0	Temperature (°C)	23.9
G328	2/28/2007	10:40:00	0	Total Dissolved Solids (mg/L)	541
G328	2/28/2007	10:40:00	0	Total Phosphorus (mg/L)	0.018
G328	2/28/2007	10:40:00	0	Turbidity (NTU)	2.6
G328	3/7/2007	12:40:00	0	Dissolved Oxygen (mg/L)	7.21
G328	3/7/2007	12:40:00	0	Orthophosphate as P (mg/L)	<0.002
G328	3/7/2007	12:40:00	0	pH	7.9
G328	3/7/2007	12:40:00	0	Specific Conductivity (µS/cm)	1087
G328	3/7/2007	12:40:00	0	Temperature (°C)	21.7
G328	3/7/2007	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G328	3/7/2007	12:40:00	0	Total Phosphorus (mg/L)	0.018
G328	3/14/2007	11:30:00	0	Alkalinity (mg/L)	302
G328	3/14/2007	11:30:00	0	Ammonia as N (mg/L)	0.141
G328	3/14/2007	11:30:00	0	Dissolved Chloride (mg/L)	160
G328	3/14/2007	11:30:00	0	Dissolved Oxygen (mg/L)	8.67
G328	3/14/2007	11:30:00	0	Nitrate + Nitrite (mg/L)	0.196
G328	3/14/2007	11:30:00	0	Orthophosphate as P (mg/L)	<0.002
G328	3/14/2007	11:30:00	0	pH	8
G328	3/14/2007	11:30:00	0	Specific Conductivity (µS/cm)	1110
G328	3/14/2007	11:30:00	0	Sulfate (mg/L)	34.2
G328	3/14/2007	11:30:00	0	Temperature (°C)	22.8
G328	3/14/2007	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G328	3/14/2007	11:30:00	0	Total Dissolved Solids (mg/L)	690
G328	3/14/2007	11:30:00	0	Total Phosphorus (mg/L)	0.018
G328	3/14/2007	11:30:00	0	Turbidity (NTU)	6.1
G328	3/21/2007	14:10:00	0	Dissolved Oxygen (mg/L)	8.26
G328	3/21/2007	14:10:00	0	Orthophosphate as P (mg/L)	0.025
G328	3/21/2007	14:10:00	0	pH	8.1
G328	3/21/2007	14:10:00	0	Specific Conductivity (µS/cm)	597.8
G328	3/21/2007	14:10:00	0	Temperature (°C)	22.1
G328	3/21/2007	14:10:00	0	Total Dissolved Phosphorus (mg/L)	0.036
G328	3/21/2007	14:10:00	0	Total Phosphorus (mg/L)	0.048
G328	3/28/2007	11:30:00	0	Alkalinity (mg/L)	145
G328	3/28/2007	11:30:00	0	Ammonia as N (mg/L)	0.032
G328	3/28/2007	11:30:00	0	Dissolved Chloride (mg/L)	65.9
G328	3/28/2007	11:30:00	0	Dissolved Oxygen (mg/L)	8.74

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	3/28/2007	11:30:00	0	Nitrate + Nitrite (mg/L)	0.088
G328	3/28/2007	11:30:00	0	Orthophosphate as P (mg/L)	0.03
G328	3/28/2007	11:30:00	0	pH	8
G328	3/28/2007	11:30:00	0	Specific Conductivity (µS/cm)	561.1
G328	3/28/2007	11:30:00	0	Sulfate (mg/L)	38.8
G328	3/28/2007	11:30:00	0	Temperature (°C)	23
G328	3/28/2007	11:30:00	0	Total Dissolved Phosphorus (mg/L)	0.039
G328	3/28/2007	11:30:00	0	Total Dissolved Solids (mg/L)	353
G328	3/28/2007	11:30:00	0	Total Phosphorus (mg/L)	0.056
G328	3/28/2007	11:30:00	0	Turbidity (NTU)	5.6
G328	4/4/2007	13:40:00	0	Dissolved Oxygen (mg/L)	7.79
G328	4/4/2007	13:40:00	0	Orthophosphate as P (mg/L)	<0.002
G328	4/4/2007	13:40:00	0	pH	8
G328	4/4/2007	13:40:00	0	Specific Conductivity (µS/cm)	897
G328	4/4/2007	13:40:00	0	Temperature (°C)	25.2
G328	4/4/2007	13:40:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G328	4/4/2007	13:40:00	0	Total Phosphorus (mg/L)	0.029
G328	4/11/2007	11:45:00	0	Alkalinity (mg/L)	243
G328	4/11/2007	11:45:00	0	Ammonia as N (mg/L)	0.083
G328	4/11/2007	11:45:00	0	Dissolved Chloride (mg/L)	130
G328	4/11/2007	11:45:00	0	Dissolved Oxygen (mg/L)	8.63
G328	4/11/2007	11:45:00	0	Nitrate + Nitrite (mg/L)	0.113
G328	4/11/2007	11:45:00	0	Orthophosphate as P (mg/L)	0.002
G328	4/11/2007	11:45:00	0	pH	8.2
G328	4/11/2007	11:45:00	0	Specific Conductivity (µS/cm)	908
G328	4/11/2007	11:45:00	0	Sulfate (mg/L)	40.2
G328	4/11/2007	11:45:00	0	Temperature (°C)	24.9
G328	4/11/2007	11:45:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G328	4/11/2007	11:45:00	0	Total Dissolved Solids (mg/L)	580
G328	4/11/2007	11:45:00	0	Total Phosphorus (mg/L)	0.026
G328	4/11/2007	11:45:00	0	Turbidity (NTU)	8.1
G328	4/18/2007	12:25:00	0	Dissolved Oxygen (mg/L)	9.1
G328	4/18/2007	12:25:00	0	Orthophosphate as P (mg/L)	0.003
G328	4/18/2007	12:25:00	0	pH	8.2
G328	4/18/2007	12:25:00	0	Specific Conductivity (µS/cm)	898
G328	4/18/2007	12:25:00	0	Temperature (°C)	23.9
G328	4/18/2007	12:25:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G328	4/18/2007	12:25:00	0	Total Phosphorus (mg/L)	0.032
G328	4/25/2007	12:00:00	0	Alkalinity (mg/L)	317
G328	4/25/2007	12:00:00	0	Ammonia as N (mg/L)	0.117
G328	4/25/2007	12:00:00	0	Dissolved Chloride (mg/L)	170
G328	4/25/2007	12:00:00	0	Dissolved Oxygen (mg/L)	7.87
G328	4/25/2007	12:00:00	0	Nitrate + Nitrite (mg/L)	0.218
G328	4/25/2007	12:00:00	0	Orthophosphate as P (mg/L)	0.002
G328	4/25/2007	12:00:00	0	pH	8
G328	4/25/2007	12:00:00	0	Specific Conductivity (µS/cm)	1170
G328	4/25/2007	12:00:00	0	Sulfate (mg/L)	42.9
G328	4/25/2007	12:00:00	0	Temperature (°C)	24.9
G328	4/25/2007	12:00:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G328	4/25/2007	12:00:00	0	Total Dissolved Solids (mg/L)	750

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G328	4/25/2007	12:00:00	0	Total Phosphorus (mg/L)	0.024
G328	4/25/2007	12:00:00	0	Turbidity (NTU)	4.9
G335	5/3/2006	09:25:00	0	Dissolved Oxygen (mg/L)	5.59
G335	5/3/2006	09:25:00	0	Orthophosphate as P (mg/L)	<0.004
G335	5/3/2006	09:25:00	0	pH	7.67
G335	5/3/2006	09:25:00	0	Specific Conductivity (µS/cm)	1230
G335	5/3/2006	09:25:00	0	Temperature (°C)	24.9
G335	5/3/2006	09:25:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G335	5/3/2006	09:25:00	0	Total Phosphorus (mg/L)	0.017
G335	5/3/2006	09:30:00	24	Total Phosphorus (mg/L)	0.017
G335	5/10/2006	09:50:00	0	Alkalinity (mg/L)	322
G335	5/10/2006	09:50:00	0	Ammonia as N (mg/L)	0.071
G335	5/10/2006	09:50:00	0	Dissolved Chloride (mg/L)	179
G335	5/10/2006	09:50:00	0	Dissolved Oxygen (mg/L)	7.44
G335	5/10/2006	09:50:00	0	Nitrate + Nitrite (mg/L)	0.126
G335	5/10/2006	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G335	5/10/2006	09:50:00	0	pH	8.27
G335	5/10/2006	09:50:00	0	Specific Conductivity (µS/cm)	1255
G335	5/10/2006	09:50:00	0	Sulfate (mg/L)	49.3
G335	5/10/2006	09:50:00	0	Temperature (°C)	28.2
G335	5/10/2006	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	5/10/2006	09:50:00	0	Total Dissolved Solids (mg/L)	821
G335	5/10/2006	09:50:00	0	Total Phosphorus (mg/L)	0.016
G335	5/10/2006	09:50:00	0	Turbidity (NTU)	0.9
G335	5/10/2006	10:00:00	24	Total Phosphorus (mg/L)	0.015
G335	5/17/2006	09:26:00	0	Dissolved Oxygen (mg/L)	3.52
G335	5/17/2006	09:26:00	0	Orthophosphate as P (mg/L)	<0.004
G335	5/17/2006	09:26:00	0	pH	6.98
G335	5/17/2006	09:26:00	0	Specific Conductivity (µS/cm)	1284
G335	5/17/2006	09:26:00	0	Temperature (°C)	24
G335	5/17/2006	09:26:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G335	5/17/2006	09:26:00	0	Total Phosphorus (mg/L)	0.024
G335	5/17/2006	09:30:00	24	Total Phosphorus (mg/L)	0.02
G335	5/24/2006	09:30:00	0	Alkalinity (mg/L)	248
G335	5/24/2006	09:30:00	0	Ammonia as N (mg/L)	0.031
G335	5/24/2006	09:30:00	0	Dissolved Chloride (mg/L)	112
G335	5/24/2006	09:30:00	0	Dissolved Oxygen (mg/L)	3.58
G335	5/24/2006	09:30:00	0	Nitrate + Nitrite (mg/L)	0.018
G335	5/24/2006	09:30:00	0	Orthophosphate as P (mg/L)	<0.004
G335	5/24/2006	09:30:00	0	pH	7.35
G335	5/24/2006	09:30:00	0	Specific Conductivity (µS/cm)	908
G335	5/24/2006	09:30:00	0	Sulfate (mg/L)	42.5
G335	5/24/2006	09:30:00	0	Temperature (°C)	27
G335	5/24/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G335	5/24/2006	09:30:00	0	Total Dissolved Solids (mg/L)	580
G335	5/24/2006	09:30:00	0	Total Phosphorus (mg/L)	0.018
G335	5/24/2006	09:30:00	0	Turbidity (NTU)	0.8
G335	5/24/2006	09:35:00	24	Total Phosphorus (mg/L)	0.041
G335	5/31/2006	09:45:00	0	Dissolved Oxygen (mg/L)	5.61
G335	5/31/2006	09:45:00	0	Orthophosphate as P (mg/L)	<0.004

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	5/31/2006	09:45:00	0	pH	7.58
G335	5/31/2006	09:45:00	0	Specific Conductivity (µS/cm)	868
G335	5/31/2006	09:45:00	0	Temperature (°C)	28.2
G335	5/31/2006	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	5/31/2006	09:45:00	0	Total Phosphorus (mg/L)	0.018
G335	5/31/2006	09:50:00	24	Total Phosphorus (mg/L)	0.03
G335	6/7/2006	09:35:00	0	Alkalinity (mg/L)	242
G335	6/7/2006	09:35:00	0	Ammonia as N (mg/L)	0.042
G335	6/7/2006	09:35:00	0	Dissolved Chloride (mg/L)	113
G335	6/7/2006	09:35:00	0	Dissolved Oxygen (mg/L)	5.48
G335	6/7/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.026
G335	6/7/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G335	6/7/2006	09:35:00	0	pH	7.69
G335	6/7/2006	09:35:00	0	Specific Conductivity (µS/cm)	863
G335	6/7/2006	09:35:00	0	Sulfate (mg/L)	39.2
G335	6/7/2006	09:35:00	0	Temperature (°C)	28.3
G335	6/7/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	6/7/2006	09:35:00	0	Total Dissolved Solids (mg/L)	648
G335	6/7/2006	09:35:00	0	Total Phosphorus (mg/L)	0.016
G335	6/7/2006	09:35:00	0	Turbidity (NTU)	1.1
G335	6/7/2006	09:40:00	24	Total Phosphorus (mg/L)	0.076
G335	6/14/2006	08:50:00	0	Dissolved Oxygen (mg/L)	4.97
G335	6/14/2006	08:50:00	0	Orthophosphate as P (mg/L)	<0.004
G335	6/14/2006	08:50:00	0	pH	7.53
G335	6/14/2006	08:50:00	0	Specific Conductivity (µS/cm)	982
G335	6/14/2006	08:50:00	0	Temperature (°C)	28
G335	6/14/2006	08:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	6/14/2006	08:50:00	0	Total Phosphorus (mg/L)	0.015
G335	6/14/2006	08:55:00	24	Total Phosphorus (mg/L)	0.037
G335	6/21/2006	09:47:00	0	Alkalinity (mg/L)	282
G335	6/21/2006	09:47:00	0	Ammonia as N (mg/L)	0.051
G335	6/21/2006	09:47:00	0	Dissolved Chloride (mg/L)	124
G335	6/21/2006	09:47:00	0	Dissolved Oxygen (mg/L)	4.24
G335	6/21/2006	09:47:00	0	Nitrate + Nitrite (mg/L)	0.044
G335	6/21/2006	09:47:00	0	Orthophosphate as P (mg/L)	<0.004
G335	6/21/2006	09:47:00	0	pH	7.66
G335	6/21/2006	09:47:00	0	Specific Conductivity (µS/cm)	928
G335	6/21/2006	09:47:00	0	Sulfate (mg/L)	35.2
G335	6/21/2006	09:47:00	0	Temperature (°C)	28.5
G335	6/21/2006	09:47:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	6/21/2006	09:47:00	0	Total Dissolved Solids (mg/L)	633
G335	6/21/2006	09:47:00	0	Total Phosphorus (mg/L)	0.018
G335	6/21/2006	09:47:00	0	Turbidity (NTU)	1.2
G335	6/28/2006	09:27:00	0	Dissolved Oxygen (mg/L)	3.52
G335	6/28/2006	09:27:00	0	Orthophosphate as P (mg/L)	<0.004
G335	6/28/2006	09:27:00	0	pH	8.35
G335	6/28/2006	09:27:00	0	Specific Conductivity (µS/cm)	843
G335	6/28/2006	09:27:00	0	Temperature (°C)	28
G335	6/28/2006	09:27:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G335	6/28/2006	09:27:00	0	Total Phosphorus (mg/L)	0.026

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	6/28/2006	09:35:00	24	Total Phosphorus (mg/L)	0.028
G335	7/6/2006	09:35:00	0	Alkalinity (mg/L)	221
G335	7/6/2006	09:35:00	0	Ammonia as N (mg/L)	0.023
G335	7/6/2006	09:35:00	0	Dissolved Chloride (mg/L)	91.5
G335	7/6/2006	09:35:00	0	Dissolved Oxygen (mg/L)	3.6
G335	7/6/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.008
G335	7/6/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G335	7/6/2006	09:35:00	0	pH	7.88
G335	7/6/2006	09:35:00	0	Specific Conductivity (µS/cm)	809
G335	7/6/2006	09:35:00	0	Sulfate (mg/L)	45.4
G335	7/6/2006	09:35:00	0	Temperature (°C)	29
G335	7/6/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G335	7/6/2006	09:35:00	0	Total Dissolved Solids (mg/L)	510
G335	7/6/2006	09:35:00	0	Total Phosphorus (mg/L)	0.017
G335	7/6/2006	09:35:00	0	Turbidity (NTU)	1.4
G335	7/6/2006	09:40:00	24	Total Phosphorus (mg/L)	0.064
G335	7/12/2006	08:25:00	0	Dissolved Oxygen (mg/L)	3.84
G335	7/12/2006	08:25:00	0	Orthophosphate as P (mg/L)	0.01
G335	7/12/2006	08:25:00	0	pH	7.58
G335	7/12/2006	08:25:00	0	Specific Conductivity (µS/cm)	936
G335	7/12/2006	08:25:00	0	Temperature (°C)	27.7
G335	7/12/2006	08:25:00	0	Total Dissolved Phosphorus (mg/L)	0.019
G335	7/12/2006	08:25:00	0	Total Phosphorus (mg/L)	0.023
G335	7/12/2006	08:30:00	24	Total Phosphorus (mg/L)	0.02
G335	7/19/2006	09:45:00	0	Alkalinity (mg/L)	303
G335	7/19/2006	09:45:00	0	Ammonia as N (mg/L)	0.025
G335	7/19/2006	09:45:00	0	Dissolved Chloride (mg/L)	127
G335	7/19/2006	09:45:00	0	Dissolved Oxygen (mg/L)	2.18
G335	7/19/2006	09:45:00	0	Nitrate + Nitrite (mg/L)	<0.006
G335	7/19/2006	09:45:00	0	Orthophosphate as P (mg/L)	0.006
G335	7/19/2006	09:45:00	0	pH	7.49
G335	7/19/2006	09:45:00	0	Specific Conductivity (µS/cm)	1014
G335	7/19/2006	09:45:00	0	Sulfate (mg/L)	61.2
G335	7/19/2006	09:45:00	0	Temperature (°C)	30.1
G335	7/19/2006	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G335	7/19/2006	09:45:00	0	Total Dissolved Solids (mg/L)	714
G335	7/19/2006	09:45:00	0	Total Phosphorus (mg/L)	0.021
G335	7/19/2006	09:45:00	0	Turbidity (NTU)	0.5
G335	7/19/2006	09:55:00	24	Total Phosphorus (mg/L)	0.028
G335	7/26/2006	08:45:00	0	Dissolved Oxygen (mg/L)	2.84
G335	7/26/2006	08:45:00	0	Orthophosphate as P (mg/L)	0.019
G335	7/26/2006	08:45:00	0	pH	7.56
G335	7/26/2006	08:45:00	0	Specific Conductivity (µS/cm)	1095
G335	7/26/2006	08:45:00	0	Temperature (°C)	29.9
G335	7/26/2006	08:45:00	0	Total Dissolved Phosphorus (mg/L)	0.028
G335	7/26/2006	08:45:00	0	Total Phosphorus (mg/L)	0.035
G335	7/26/2006	08:50:00	24	Total Phosphorus (mg/L)	0.023
G335	8/2/2006	09:45:00	0	Alkalinity (mg/L)	335
G335	8/2/2006	09:45:00	0	Ammonia as N (mg/L)	0.051
G335	8/2/2006	09:45:00	0	Dissolved Chloride (mg/L)	144

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	8/2/2006	09:45:00	0	Dissolved Oxygen (mg/L)	2.61
G335	8/2/2006	09:45:00	0	Nitrate + Nitrite (mg/L)	0.024
G335	8/2/2006	09:45:00	0	Orthophosphate as P (mg/L)	0.014
G335	8/2/2006	09:45:00	0	Specific Conductivity (µS/cm)	1256
G335	8/2/2006	09:45:00	0	Sulfate (mg/L)	84.7
G335	8/2/2006	09:45:00	0	Temperature (°C)	29.5
G335	8/2/2006	09:45:00	0	Total Dissolved Phosphorus (mg/L)	0.023
G335	8/2/2006	09:45:00	0	Total Dissolved Solids (mg/L)	840
G335	8/2/2006	09:45:00	0	Total Phosphorus (mg/L)	0.031
G335	8/2/2006	09:45:00	0	Turbidity (NTU)	1.2
G335	8/2/2006	09:55:00	24	Total Phosphorus (mg/L)	0.037
G335	8/9/2006	08:55:00	0	Dissolved Oxygen (mg/L)	3.96
G335	8/9/2006	08:55:00	0	Orthophosphate as P (mg/L)	<0.004
G335	8/9/2006	08:55:00	0	pH	7.66
G335	8/9/2006	08:55:00	0	Specific Conductivity (µS/cm)	684
G335	8/9/2006	08:55:00	0	Temperature (°C)	28.8
G335	8/9/2006	08:55:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	8/9/2006	08:55:00	0	Total Phosphorus (mg/L)	0.024
G335	8/9/2006	09:00:00	24	Total Phosphorus (mg/L)	0.032
G335	8/16/2006	09:50:00	0	Alkalinity (mg/L)	341
G335	8/16/2006	09:50:00	0	Ammonia as N (mg/L)	0.01
G335	8/16/2006	09:50:00	0	Dissolved Chloride (mg/L)	145
G335	8/16/2006	09:50:00	0	Dissolved Oxygen (mg/L)	2.91
G335	8/16/2006	09:50:00	0	Nitrate + Nitrite (mg/L)	<0.006
G335	8/16/2006	09:50:00	0	Orthophosphate as P (mg/L)	<0.004
G335	8/16/2006	09:50:00	0	pH	7.7
G335	8/16/2006	09:50:00	0	Specific Conductivity (µS/cm)	1215
G335	8/16/2006	09:50:00	0	Sulfate (mg/L)	73.3
G335	8/16/2006	09:50:00	0	Temperature (°C)	29.5
G335	8/16/2006	09:50:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G335	8/16/2006	09:50:00	0	Total Dissolved Solids (mg/L)	804
G335	8/16/2006	09:50:00	0	Total Phosphorus (mg/L)	0.027
G335	8/16/2006	09:50:00	0	Turbidity (NTU)	2.6
G335	8/23/2006	09:30:00	0	Dissolved Oxygen (mg/L)	2.34
G335	8/23/2006	09:30:00	0	Orthophosphate as P (mg/L)	0.009
G335	8/23/2006	09:30:00	0	pH	7.51
G335	8/23/2006	09:30:00	0	Specific Conductivity (µS/cm)	1141
G335	8/23/2006	09:30:00	0	Temperature (°C)	28
G335	8/23/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.018
G335	8/23/2006	09:30:00	0	Total Phosphorus (mg/L)	0.024
G335	8/23/2006	09:35:00	24	Total Phosphorus (mg/L)	0.052
G335	8/31/2006	09:55:00	0	Alkalinity (mg/L)	278
G335	8/31/2006	09:55:00	0	Ammonia as N (mg/L)	0.023
G335	8/31/2006	09:55:00	0	Dissolved Chloride (mg/L)	98.5
G335	8/31/2006	09:55:00	0	Dissolved Oxygen (mg/L)	2.07
G335	8/31/2006	09:55:00	0	Nitrate + Nitrite (mg/L)	0.133
G335	8/31/2006	09:55:00	0	Orthophosphate as P (mg/L)	0.04
G335	8/31/2006	09:55:00	0	pH	7.49
G335	8/31/2006	09:55:00	0	Specific Conductivity (µS/cm)	945
G335	8/31/2006	09:55:00	0	Sulfate (mg/L)	52.1

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	8/31/2006	09:55:00	0	Temperature (°C)	27
G335	8/31/2006	09:55:00	0	Total Dissolved Phosphorus (mg/L)	0.049
G335	8/31/2006	09:55:00	0	Total Dissolved Solids (mg/L)	601
G335	8/31/2006	09:55:00	0	Total Phosphorus (mg/L)	0.053
G335	8/31/2006	09:55:00	0	Turbidity (NTU)	1.2
G335	8/31/2006	10:00:00	24	Total Phosphorus (mg/L)	0.045
G335	9/6/2006	09:30:00	0	Dissolved Oxygen (mg/L)	1.82
G335	9/6/2006	09:30:00	0	Orthophosphate as P (mg/L)	0.04
G335	9/6/2006	09:30:00	0	pH	7.44
G335	9/6/2006	09:30:00	0	Specific Conductivity (µS/cm)	1121
G335	9/6/2006	09:30:00	0	Temperature (°C)	26.8
G335	9/6/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.049
G335	9/6/2006	09:30:00	0	Total Phosphorus (mg/L)	0.053
G335	9/6/2006	09:35:00	24	Total Phosphorus (mg/L)	0.042
G335	9/13/2006	10:15:00	0	Alkalinity (mg/L)	321
G335	9/13/2006	10:15:00	0	Ammonia as N (mg/L)	0.05
G335	9/13/2006	10:15:00	0	Dissolved Chloride (mg/L)	126
G335	9/13/2006	10:15:00	0	Dissolved Oxygen (mg/L)	3.74
G335	9/13/2006	10:15:00	0	Nitrate + Nitrite (mg/L)	<0.006
G335	9/13/2006	10:15:00	0	Orthophosphate as P (mg/L)	0.04
G335	9/13/2006	10:15:00	0	pH	7.49
G335	9/13/2006	10:15:00	0	Specific Conductivity (µS/cm)	1083
G335	9/13/2006	10:15:00	0	Sulfate (mg/L)	64.6
G335	9/13/2006	10:15:00	0	Temperature (°C)	28.1
G335	9/13/2006	10:15:00	0	Total Dissolved Phosphorus (mg/L)	0.052
G335	9/13/2006	10:15:00	0	Total Dissolved Solids (mg/L)	729
G335	9/13/2006	10:15:00	0	Total Phosphorus (mg/L)	0.059
G335	9/13/2006	10:15:00	0	Turbidity (NTU)	1
G335	9/13/2006	10:25:00	24	Total Phosphorus (mg/L)	0.051
G335	9/20/2006	08:55:00	0	Dissolved Oxygen (mg/L)	2.6
G335	9/20/2006	08:55:00	0	Orthophosphate as P (mg/L)	0.024
G335	9/20/2006	08:55:00	0	pH	7.44
G335	9/20/2006	08:55:00	0	Specific Conductivity (µS/cm)	1093
G335	9/20/2006	08:55:00	0	Temperature (°C)	27.8
G335	9/20/2006	08:55:00	0	Total Dissolved Phosphorus (mg/L)	0.034
G335	9/20/2006	08:55:00	0	Total Phosphorus (mg/L)	0.044
G335	9/20/2006	09:00:00	24	Total Phosphorus (mg/L)	0.058
G335	9/27/2006	09:40:00	0	Alkalinity (mg/L)	328
G335	9/27/2006	09:40:00	0	Ammonia as N (mg/L)	0.055
G335	9/27/2006	09:40:00	0	Dissolved Chloride (mg/L)	144
G335	9/27/2006	09:40:00	0	Dissolved Oxygen (mg/L)	2.87
G335	9/27/2006	09:40:00	0	Nitrate + Nitrite (mg/L)	0.015
G335	9/27/2006	09:40:00	0	Orthophosphate as P (mg/L)	0.017
G335	9/27/2006	09:40:00	0	pH	7.67
G335	9/27/2006	09:40:00	0	Specific Conductivity (µS/cm)	1161
G335	9/27/2006	09:40:00	0	Sulfate (mg/L)	48
G335	9/27/2006	09:40:00	0	Temperature (°C)	28.6
G335	9/27/2006	09:40:00	0	Total Dissolved Phosphorus (mg/L)	0.025
G335	9/27/2006	09:40:00	0	Total Dissolved Solids (mg/L)	762
G335	9/27/2006	09:40:00	0	Total Phosphorus (mg/L)	0.034

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	9/27/2006	09:40:00	0	Turbidity (NTU)	0.9
G335	9/27/2006	09:45:00	24	Total Phosphorus (mg/L)	0.041
G335	10/4/2006	09:30:00	0	Dissolved Oxygen (mg/L)	3.77
G335	10/4/2006	09:30:00	0	Orthophosphate as P (mg/L)	0.014
G335	10/4/2006	09:30:00	0	pH	7.5
G335	10/4/2006	09:30:00	0	Specific Conductivity (µS/cm)	1244
G335	10/4/2006	09:30:00	0	Temperature (°C)	26.7
G335	10/4/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.025
G335	10/4/2006	09:30:00	0	Total Phosphorus (mg/L)	0.032
G335	10/4/2006	09:35:00	24	Total Phosphorus (mg/L)	0.036
G335	10/11/2006	09:35:00	0	Alkalinity (mg/L)	355
G335	10/11/2006	09:35:00	0	Ammonia as N (mg/L)	0.021
G335	10/11/2006	09:35:00	0	Dissolved Chloride (mg/L)	153.1
G335	10/11/2006	09:35:00	0	Dissolved Oxygen (mg/L)	5.75
G335	10/11/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.009
G335	10/11/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G335	10/11/2006	09:35:00	0	pH	8.1
G335	10/11/2006	09:35:00	0	Specific Conductivity (µS/cm)	1226
G335	10/11/2006	09:35:00	0	Sulfate (mg/L)	46.1
G335	10/11/2006	09:35:00	0	Temperature (°C)	27.5
G335	10/11/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G335	10/11/2006	09:35:00	0	Total Dissolved Solids (mg/L)	808
G335	10/11/2006	09:35:00	0	Total Phosphorus (mg/L)	0.029
G335	10/11/2006	09:35:00	0	Turbidity (NTU)	1.8
G335	10/18/2006	09:30:00	0	Dissolved Oxygen (mg/L)	4.66
G335	10/18/2006	09:30:00	0	Orthophosphate as P (mg/L)	0.004
G335	10/18/2006	09:30:00	0	pH	7.9
G335	10/18/2006	09:30:00	0	Specific Conductivity (µS/cm)	1252
G335	10/18/2006	09:30:00	0	Temperature (°C)	26.8
G335	10/18/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.015
G335	10/18/2006	09:30:00	0	Total Phosphorus (mg/L)	0.024
G335	10/25/2006	09:35:00	0	Alkalinity (mg/L)	338
G335	10/25/2006	09:35:00	0	Ammonia as N (mg/L)	0.084
G335	10/25/2006	09:35:00	0	Dissolved Chloride (mg/L)	153.5
G335	10/25/2006	09:35:00	0	Dissolved Oxygen (mg/L)	4.68
G335	10/25/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.03
G335	10/25/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G335	10/25/2006	09:35:00	0	pH	7.9
G335	10/25/2006	09:35:00	0	Specific Conductivity (µS/cm)	1195
G335	10/25/2006	09:35:00	0	Sulfate (mg/L)	50.4
G335	10/25/2006	09:35:00	0	Temperature (°C)	24.8
G335	10/25/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G335	10/25/2006	09:35:00	0	Total Phosphorus (mg/L)	0.023
G335	11/1/2006	09:10:00	0	Dissolved Oxygen (mg/L)	5.06
G335	11/1/2006	09:10:00	0	Orthophosphate as P (mg/L)	0.009
G335	11/1/2006	09:10:00	0	pH	7.8
G335	11/1/2006	09:10:00	0	Specific Conductivity (µS/cm)	1189
G335	11/1/2006	09:10:00	0	Temperature (°C)	24.4
G335	11/1/2006	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.016
G335	11/1/2006	09:10:00	0	Total Phosphorus (mg/L)	0.025

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	11/8/2006	09:20:00	0	Alkalinity (mg/L)	339
G335	11/8/2006	09:20:00	0	Ammonia as N (mg/L)	0.11
G335	11/8/2006	09:20:00	0	Dissolved Chloride (mg/L)	154.1
G335	11/8/2006	09:20:00	0	Dissolved Oxygen (mg/L)	4.92
G335	11/8/2006	09:20:00	0	Nitrate + Nitrite (mg/L)	0.111
G335	11/8/2006	09:20:00	0	Orthophosphate as P (mg/L)	0.005
G335	11/8/2006	09:20:00	0	pH	7.6
G335	11/8/2006	09:20:00	0	Specific Conductivity (µS/cm)	1174
G335	11/8/2006	09:20:00	0	Sulfate (mg/L)	49.6
G335	11/8/2006	09:20:00	0	Temperature (°C)	23.7
G335	11/8/2006	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.014
G335	11/8/2006	09:20:00	0	Total Dissolved Solids (mg/L)	744
G335	11/8/2006	09:20:00	0	Total Phosphorus (mg/L)	0.02
G335	11/8/2006	09:20:00	0	Turbidity (NTU)	2.5
G335	11/15/2006	09:15:00	0	Dissolved Oxygen (mg/L)	2.86
G335	11/15/2006	09:15:00	0	Orthophosphate as P (mg/L)	<0.004
G335	11/15/2006	09:15:00	0	pH	7.6
G335	11/15/2006	09:15:00	0	Specific Conductivity (µS/cm)	1167
G335	11/15/2006	09:15:00	0	Temperature (°C)	24.3
G335	11/15/2006	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G335	11/15/2006	09:15:00	0	Total Phosphorus (mg/L)	0.018
G335	11/22/2006	09:05:00	0	Alkalinity (mg/L)	338
G335	11/22/2006	09:05:00	0	Ammonia as N (mg/L)	0.382
G335	11/22/2006	09:05:00	0	Dissolved Chloride (mg/L)	166.7
G335	11/22/2006	09:05:00	0	Dissolved Oxygen (mg/L)	3.1
G335	11/22/2006	09:05:00	0	Nitrate + Nitrite (mg/L)	0.058
G335	11/22/2006	09:05:00	0	Orthophosphate as P (mg/L)	<0.004
G335	11/22/2006	09:05:00	0	pH	7.5
G335	11/22/2006	09:05:00	0	Specific Conductivity (µS/cm)	1234
G335	11/22/2006	09:05:00	0	Sulfate (mg/L)	36.4
G335	11/22/2006	09:05:00	0	Temperature (°C)	20.5
G335	11/22/2006	09:05:00	0	Total Dissolved Phosphorus (mg/L)	0.011
G335	11/22/2006	09:05:00	0	Total Dissolved Solids (mg/L)	791
G335	11/22/2006	09:05:00	0	Total Phosphorus (mg/L)	0.015
G335	11/22/2006	09:05:00	0	Turbidity (NTU)	2
G335	11/29/2006	09:15:00	0	Dissolved Oxygen (mg/L)	4.46
G335	11/29/2006	09:15:00	0	Orthophosphate as P (mg/L)	<0.004
G335	11/29/2006	09:15:00	0	pH	7.5
G335	11/29/2006	09:15:00	0	Specific Conductivity (µS/cm)	1270
G335	11/29/2006	09:15:00	0	Temperature (°C)	20.7
G335	11/29/2006	09:15:00	0	Total Phosphorus (mg/L)	0.013
G335	12/6/2006	09:35:00	0	Alkalinity (mg/L)	326
G335	12/6/2006	09:35:00	0	Ammonia as N (mg/L)	0.241
G335	12/6/2006	09:35:00	0	Dissolved Chloride (mg/L)	186.9
G335	12/6/2006	09:35:00	0	Dissolved Oxygen (mg/L)	4.61
G335	12/6/2006	09:35:00	0	Nitrate + Nitrite (mg/L)	0.157
G335	12/6/2006	09:35:00	0	Orthophosphate as P (mg/L)	<0.004
G335	12/6/2006	09:35:00	0	pH	7.6
G335	12/6/2006	09:35:00	0	Specific Conductivity (µS/cm)	1308
G335	12/6/2006	09:35:00	0	Sulfate (mg/L)	42.5

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	12/6/2006	09:35:00	0	Temperature (°C)	21.7
G335	12/6/2006	09:35:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G335	12/6/2006	09:35:00	0	Total Dissolved Solids (mg/L)	790
G335	12/6/2006	09:35:00	0	Total Phosphorus (mg/L)	0.011
G335	12/6/2006	09:35:00	0	Turbidity (NTU)	2.2
G335	12/13/2006	09:30:00	0	Dissolved Oxygen (mg/L)	5.13
G335	12/13/2006	09:30:00	0	Orthophosphate as P (mg/L)	0.004
G335	12/13/2006	09:30:00	0	pH	7.6
G335	12/13/2006	09:30:00	0	Specific Conductivity (µS/cm)	1247
G335	12/13/2006	09:30:00	0	Temperature (°C)	21.2
G335	12/13/2006	09:30:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	12/13/2006	09:30:00	0	Total Phosphorus (mg/L)	0.014
G335	12/20/2006	09:30:00	0	Alkalinity (mg/L)	302
G335	12/20/2006	09:30:00	0	Ammonia as N (mg/L)	0.056
G335	12/20/2006	09:30:00	0	Dissolved Chloride (mg/L)	189.6
G335	12/20/2006	09:30:00	0	Dissolved Oxygen (mg/L)	4.74
G335	12/20/2006	09:30:00	0	Nitrate + Nitrite (mg/L)	0.041
G335	12/20/2006	09:30:00	0	Orthophosphate as P (mg/L)	<0.004
G335	12/20/2006	09:30:00	0	pH	7.5
G335	12/20/2006	09:30:00	0	Specific Conductivity (µS/cm)	1244
G335	12/20/2006	09:30:00	0	Sulfate (mg/L)	46.4
G335	12/20/2006	09:30:00	0	Temperature (°C)	21.6
G335	12/20/2006	09:30:00	0	Total Dissolved Solids (mg/L)	787
G335	12/20/2006	09:30:00	0	Total Phosphorus (mg/L)	0.019
G335	12/20/2006	09:30:00	0	Turbidity (NTU)	1
G335	12/20/2006	09:35:00	24	Total Phosphorus (mg/L)	0.022
G335	12/28/2006	08:40:00	0	Dissolved Oxygen (mg/L)	4.01
G335	12/28/2006	08:40:00	0	Orthophosphate as P (mg/L)	0.036
G335	12/28/2006	08:40:00	0	pH	7.4
G335	12/28/2006	08:40:00	0	Specific Conductivity (µS/cm)	1164
G335	12/28/2006	08:40:00	0	Temperature (°C)	18.8
G335	12/28/2006	08:40:00	0	Total Dissolved Phosphorus (mg/L)	0.048
G335	12/28/2006	08:40:00	0	Total Phosphorus (mg/L)	0.058
G335	12/28/2006	08:45:00	24	Total Phosphorus (mg/L)	0.03
G335	1/3/2007	08:45:00	0	Alkalinity (mg/L)	290
G335	1/3/2007	08:45:00	0	Ammonia as N (mg/L)	0.068
G335	1/3/2007	08:45:00	0	Dissolved Chloride (mg/L)	163.2
G335	1/3/2007	08:45:00	0	Dissolved Oxygen (mg/L)	4.28
G335	1/3/2007	08:45:00	0	Nitrate + Nitrite (mg/L)	0.035
G335	1/3/2007	08:45:00	0	Orthophosphate as P (mg/L)	0.006
G335	1/3/2007	08:45:00	0	pH	7.5
G335	1/3/2007	08:45:00	0	Specific Conductivity (µS/cm)	1142
G335	1/3/2007	08:45:00	0	Sulfate (mg/L)	43.2
G335	1/3/2007	08:45:00	0	Temperature (°C)	21.6
G335	1/3/2007	08:45:00	0	Total Dissolved Phosphorus (mg/L)	0.013
G335	1/3/2007	08:45:00	0	Total Dissolved Solids (mg/L)	739
G335	1/3/2007	08:45:00	0	Total Phosphorus (mg/L)	0.021
G335	1/3/2007	08:45:00	0	Turbidity (NTU)	2.1
G335	1/3/2007	08:50:00	24	Total Phosphorus (mg/L)	0.043
G335	1/10/2007	09:00:00	0	Dissolved Oxygen (mg/L)	5.31

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	1/10/2007	09:00:00	0	Orthophosphate as P (mg/L)	<0.004
G335	1/10/2007	09:00:00	0	pH	7.4
G335	1/10/2007	09:00:00	0	Specific Conductivity (µS/cm)	1195
G335	1/10/2007	09:00:00	0	Temperature (°C)	22.2
G335	1/10/2007	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.012
G335	1/10/2007	09:00:00	0	Total Phosphorus (mg/L)	0.022
G335	1/10/2007	09:05:00	24	Total Phosphorus (mg/L)	0.019
G335	1/17/2007	09:38:00	0	Alkalinity (mg/L)	317
G335	1/17/2007	09:38:00	0	Ammonia as N (mg/L)	0.164
G335	1/17/2007	09:38:00	0	Dissolved Chloride (mg/L)	173
G335	1/17/2007	09:38:00	0	Dissolved Oxygen (mg/L)	4.63
G335	1/17/2007	09:38:00	0	Nitrate + Nitrite (mg/L)	0.087
G335	1/17/2007	09:38:00	0	Orthophosphate as P (mg/L)	<0.004
G335	1/17/2007	09:38:00	0	pH	7.5
G335	1/17/2007	09:38:00	0	Specific Conductivity (µS/cm)	1182
G335	1/17/2007	09:38:00	0	Sulfate (mg/L)	39.1
G335	1/17/2007	09:38:00	0	Temperature (°C)	21.6
G335	1/17/2007	09:38:00	0	Total Dissolved Phosphorus (mg/L)	0.01
G335	1/17/2007	09:38:00	0	Total Dissolved Solids (mg/L)	749
G335	1/17/2007	09:38:00	0	Total Phosphorus (mg/L)	0.016
G335	1/17/2007	09:38:00	0	Turbidity (NTU)	3.3
G335	1/17/2007	09:45:00	24	Total Phosphorus (mg/L)	0.018
G335	1/24/2007	09:00:00	0	Dissolved Oxygen (mg/L)	4.48
G335	1/24/2007	09:00:00	0	Orthophosphate as P (mg/L)	<0.004
G335	1/24/2007	09:00:00	0	pH	7.1
G335	1/24/2007	09:00:00	0	Specific Conductivity (µS/cm)	1198
G335	1/24/2007	09:00:00	0	Temperature (°C)	23.1
G335	1/24/2007	09:00:00	0	Total Phosphorus (mg/L)	0.014
G335	1/24/2007	09:05:00	24	Total Phosphorus (mg/L)	0.017
G335	1/31/2007	10:05:00	0	Alkalinity (mg/L)	314
G335	1/31/2007	10:05:00	0	Ammonia as N (mg/L)	0.193
G335	1/31/2007	10:05:00	0	Dissolved Chloride (mg/L)	183
G335	1/31/2007	10:05:00	0	Dissolved Oxygen (mg/L)	5.72
G335	1/31/2007	10:05:00	0	Nitrate + Nitrite (mg/L)	0.113
G335	1/31/2007	10:05:00	0	Orthophosphate as P (mg/L)	<0.004
G335	1/31/2007	10:05:00	0	pH	7.6
G335	1/31/2007	10:05:00	0	Specific Conductivity (µS/cm)	1227
G335	1/31/2007	10:05:00	0	Sulfate (mg/L)	37.8
G335	1/31/2007	10:05:00	0	Temperature (°C)	19.3
G335	1/31/2007	10:05:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G335	1/31/2007	10:05:00	0	Total Dissolved Solids (mg/L)	772
G335	1/31/2007	10:05:00	0	Total Phosphorus (mg/L)	0.013
G335	1/31/2007	10:05:00	0	Turbidity (NTU)	2.6
G335	1/31/2007	10:10:00	24	Total Phosphorus (mg/L)	0.014
G335	2/7/2007	08:50:00	0	Dissolved Oxygen (mg/L)	5.58
G335	2/7/2007	08:50:00	0	Orthophosphate as P (mg/L)	<0.004
G335	2/7/2007	08:50:00	0	pH	7.7
G335	2/7/2007	08:50:00	0	Specific Conductivity (µS/cm)	1236
G335	2/7/2007	08:50:00	0	Temperature (°C)	19.2
G335	2/7/2007	08:50:00	0	Total Dissolved Phosphorus (mg/L)	0.006

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	2/7/2007	08:50:00	0	Total Phosphorus (mg/L)	0.013
G335	2/7/2007	08:55:00	24	Total Phosphorus (mg/L)	0.017
G335	2/14/2007	09:20:00	0	Alkalinity (mg/L)	318
G335	2/14/2007	09:20:00	0	Ammonia as N (mg/L)	0.173
G335	2/14/2007	09:20:00	0	Dissolved Chloride (mg/L)	196
G335	2/14/2007	09:20:00	0	Dissolved Oxygen (mg/L)	5.4
G335	2/14/2007	09:20:00	0	Nitrate + Nitrite (mg/L)	0.147
G335	2/14/2007	09:20:00	0	Orthophosphate as P (mg/L)	<0.002
G335	2/14/2007	09:20:00	0	pH	7.6
G335	2/14/2007	09:20:00	0	Specific Conductivity (µS/cm)	1270
G335	2/14/2007	09:20:00	0	Sulfate (mg/L)	38.6
G335	2/14/2007	09:20:00	0	Temperature (°C)	21.9
G335	2/14/2007	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G335	2/14/2007	09:20:00	0	Total Dissolved Solids (mg/L)	782
G335	2/14/2007	09:20:00	0	Total Phosphorus (mg/L)	0.013
G335	2/14/2007	09:20:00	0	Turbidity (NTU)	2.2
G335	2/21/2007	09:10:00	0	Dissolved Oxygen (mg/L)	5.97
G335	2/21/2007	09:10:00	0	Orthophosphate as P (mg/L)	<0.002
G335	2/21/2007	09:10:00	0	pH	7.7
G335	2/21/2007	09:10:00	0	Specific Conductivity (µS/cm)	1259
G335	2/21/2007	09:10:00	0	Temperature (°C)	17.9
G335	2/21/2007	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G335	2/21/2007	09:10:00	0	Total Phosphorus (mg/L)	0.012
G335	2/28/2007	09:15:00	0	Alkalinity (mg/L)	322
G335	2/28/2007	09:15:00	0	Ammonia as N (mg/L)	0.083
G335	2/28/2007	09:15:00	0	Dissolved Chloride (mg/L)	190
G335	2/28/2007	09:15:00	0	Dissolved Oxygen (mg/L)	5.09
G335	2/28/2007	09:15:00	0	Nitrate + Nitrite (mg/L)	0.161
G335	2/28/2007	09:15:00	0	Orthophosphate as P (mg/L)	0.002
G335	2/28/2007	09:15:00	0	pH	7.6
G335	2/28/2007	09:15:00	0	Specific Conductivity (µS/cm)	1242
G335	2/28/2007	09:15:00	0	Sulfate (mg/L)	31.4
G335	2/28/2007	09:15:00	0	Temperature (°C)	23.3
G335	2/28/2007	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	2/28/2007	09:15:00	0	Total Dissolved Solids (mg/L)	785
G335	2/28/2007	09:15:00	0	Total Phosphorus (mg/L)	0.015
G335	2/28/2007	09:15:00	0	Turbidity (NTU)	3.6
G335	3/7/2007	09:25:00	0	Dissolved Oxygen (mg/L)	4.64
G335	3/7/2007	09:25:00	0	Orthophosphate as P (mg/L)	<0.002
G335	3/7/2007	09:25:00	0	pH	7.6
G335	3/7/2007	09:25:00	0	Specific Conductivity (µS/cm)	1229
G335	3/7/2007	09:25:00	0	Temperature (°C)	20.8
G335	3/7/2007	09:25:00	0	Total Dissolved Phosphorus (mg/L)	0.006
G335	3/7/2007	09:25:00	0	Total Phosphorus (mg/L)	0.012
G335	3/14/2007	09:20:00	0	Alkalinity (mg/L)	338
G335	3/14/2007	09:20:00	0	Ammonia as N (mg/L)	0.121
G335	3/14/2007	09:20:00	0	Dissolved Chloride (mg/L)	183
G335	3/14/2007	09:20:00	0	Dissolved Oxygen (mg/L)	4.69
G335	3/14/2007	09:20:00	0	Nitrate + Nitrite (mg/L)	0.17
G335	3/14/2007	09:20:00	0	Orthophosphate as P (mg/L)	<0.002

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	3/14/2007	09:20:00	0	pH	7.7
G335	3/14/2007	09:20:00	0	Specific Conductivity (µS/cm)	1251
G335	3/14/2007	09:20:00	0	Sulfate (mg/L)	33.8
G335	3/14/2007	09:20:00	0	Temperature (°C)	21.8
G335	3/14/2007	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	3/14/2007	09:20:00	0	Total Dissolved Solids (mg/L)	773
G335	3/14/2007	09:20:00	0	Total Phosphorus (mg/L)	0.011
G335	3/14/2007	09:20:00	0	Turbidity (NTU)	2
G335	3/21/2007	09:15:00	0	Dissolved Oxygen (mg/L)	5.41
G335	3/21/2007	09:15:00	0	Orthophosphate as P (mg/L)	<0.002
G335	3/21/2007	09:15:00	0	pH	7.8
G335	3/21/2007	09:15:00	0	Specific Conductivity (µS/cm)	1274
G335	3/21/2007	09:15:00	0	Temperature (°C)	20.8
G335	3/21/2007	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G335	3/21/2007	09:15:00	0	Total Phosphorus (mg/L)	0.012
G335	3/28/2007	09:20:00	0	Alkalinity (mg/L)	352
G335	3/28/2007	09:20:00	0	Ammonia as N (mg/L)	0.118
G335	3/28/2007	09:20:00	0	Dissolved Chloride (mg/L)	182
G335	3/28/2007	09:20:00	0	Dissolved Oxygen (mg/L)	6.34
G335	3/28/2007	09:20:00	0	Nitrate + Nitrite (mg/L)	0.145
G335	3/28/2007	09:20:00	0	Orthophosphate as P (mg/L)	<0.002
G335	3/28/2007	09:20:00	0	pH	7.9
G335	3/28/2007	09:20:00	0	Specific Conductivity (µS/cm)	1253
G335	3/28/2007	09:20:00	0	Sulfate (mg/L)	30.4
G335	3/28/2007	09:20:00	0	Temperature (°C)	22.6
G335	3/28/2007	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	3/28/2007	09:20:00	0	Total Dissolved Solids (mg/L)	807
G335	3/28/2007	09:20:00	0	Total Phosphorus (mg/L)	0.013
G335	3/28/2007	09:20:00	0	Turbidity (NTU)	1.8
G335	4/4/2007	09:30:00	0	Dissolved Oxygen (mg/L)	5.57
G335	4/4/2007	09:30:00	0	Orthophosphate as P (mg/L)	0.002
G335	4/4/2007	09:30:00	0	pH	7.8
G335	4/4/2007	09:30:00	0	Specific Conductivity (µS/cm)	1249
G335	4/4/2007	09:30:00	0	Temperature (°C)	23.7
G335	4/4/2007	09:30:00	0	Total Phosphorus (mg/L)	0.012
G335	4/11/2007	10:50:00	0	Alkalinity (mg/L)	335
G335	4/11/2007	10:50:00	0	Ammonia as N (mg/L)	0.151
G335	4/11/2007	10:50:00	0	Dissolved Chloride (mg/L)	182
G335	4/11/2007	10:50:00	0	Dissolved Oxygen (mg/L)	5.43
G335	4/11/2007	10:50:00	0	Nitrate + Nitrite (mg/L)	0.146
G335	4/11/2007	10:50:00	0	Orthophosphate as P (mg/L)	<0.002
G335	4/11/2007	10:50:00	0	pH	7.8
G335	4/11/2007	10:50:00	0	Specific Conductivity (µS/cm)	1254
G335	4/11/2007	10:50:00	0	Sulfate (mg/L)	30.9
G335	4/11/2007	10:50:00	0	Temperature (°C)	23.8
G335	4/11/2007	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.008
G335	4/11/2007	10:50:00	0	Total Dissolved Solids (mg/L)	786
G335	4/11/2007	10:50:00	0	Total Phosphorus (mg/L)	0.013
G335	4/11/2007	10:50:00	0	Turbidity (NTU)	2
G335	4/18/2007	09:15:00	0	Dissolved Oxygen (mg/L)	6.82

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
G335	4/18/2007	09:15:00	0	Orthophosphate as P (mg/L)	0.002
G335	4/18/2007	09:15:00	0	pH	7.9
G335	4/18/2007	09:15:00	0	Specific Conductivity (µS/cm)	1241
G335	4/18/2007	09:15:00	0	Temperature (°C)	23.2
G335	4/18/2007	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.009
G335	4/18/2007	09:15:00	0	Total Phosphorus (mg/L)	0.012
G335	4/25/2007	09:00:00	0	Alkalinity (mg/L)	341
G335	4/25/2007	09:00:00	0	Ammonia as N (mg/L)	0.155
G335	4/25/2007	09:00:00	0	Dissolved Chloride (mg/L)	181
G335	4/25/2007	09:00:00	0	Dissolved Oxygen (mg/L)	4.92
G335	4/25/2007	09:00:00	0	Nitrate + Nitrite (mg/L)	0.151
G335	4/25/2007	09:00:00	0	Orthophosphate as P (mg/L)	<0.002
G335	4/25/2007	09:00:00	0	pH	7.8
G335	4/25/2007	09:00:00	0	Specific Conductivity (µS/cm)	1261
G335	4/25/2007	09:00:00	0	Sulfate (mg/L)	30.2
G335	4/25/2007	09:00:00	0	Temperature (°C)	23.8
G335	4/25/2007	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.007
G335	4/25/2007	09:00:00	0	Total Dissolved Solids (mg/L)	793
G335	4/25/2007	09:00:00	0	Total Phosphorus (mg/L)	0.016
G335	4/25/2007	09:00:00	0	Turbidity (NTU)	2.4
S6	5/3/2006	13:21:00	0	Dissolved Oxygen (mg/L)	5.69
S6	5/3/2006	13:21:00	0	Orthophosphate as P (mg/L)	0.081
S6	5/3/2006	13:21:00	0	pH	7.74
S6	5/3/2006	13:21:00	0	Specific Conductivity (µS/cm)	491
S6	5/3/2006	13:21:00	0	Temperature (°C)	25.7
S6	5/3/2006	13:21:00	0	Total Dissolved Phosphorus (mg/L)	0.09
S6	5/3/2006	13:21:00	0	Total Phosphorus (mg/L)	0.124
S6	5/3/2006	13:30:00	24	Nitrate + Nitrite (mg/L)	0.475
S6	5/3/2006	13:30:00	24	Total Phosphorus (mg/L)	0.12
S6	5/10/2006	09:10:00	0	Alkalinity (mg/L)	127
S6	5/10/2006	09:10:00	0	Ammonia as N (mg/L)	<0.009
S6	5/10/2006	09:10:00	0	Dissolved Chloride (mg/L)	53.7
S6	5/10/2006	09:10:00	0	Dissolved Oxygen (mg/L)	6.75
S6	5/10/2006	09:10:00	0	Nitrate + Nitrite (mg/L)	0.412
S6	5/10/2006	09:10:00	0	Orthophosphate as P (mg/L)	0.067
S6	5/10/2006	09:10:00	0	pH	8.11
S6	5/10/2006	09:10:00	0	Specific Conductivity (µS/cm)	496
S6	5/10/2006	09:10:00	0	Sulfate (mg/L)	32.4
S6	5/10/2006	09:10:00	0	Temperature (°C)	27
S6	5/10/2006	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.078
S6	5/10/2006	09:10:00	0	Total Dissolved Solids (mg/L)	315
S6	5/10/2006	09:10:00	0	Total Phosphorus (mg/L)	0.112
S6	5/10/2006	09:10:00	0	Turbidity (NTU)	7.5
S6	5/10/2006	09:15:00	24	Total Phosphorus (mg/L)	0.135
S6	5/17/2006	13:33:00	0	Dissolved Oxygen (mg/L)	3.29
S6	5/17/2006	13:33:00	0	Orthophosphate as P (mg/L)	0.064
S6	5/17/2006	13:33:00	0	pH	7.17
S6	5/17/2006	13:33:00	0	Specific Conductivity (µS/cm)	701
S6	5/17/2006	13:33:00	0	Temperature (°C)	25.5
S6	5/17/2006	13:33:00	0	Total Dissolved Phosphorus (mg/L)	0.077

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	5/17/2006	13:33:00	0	Total Phosphorus (mg/L)	0.16
S6	5/17/2006	13:40:00	24	Nitrate + Nitrite (mg/L)	0.946
S6	5/17/2006	13:40:00	24	Total Phosphorus (mg/L)	0.168
S6	5/18/2006	10:25:00	0	Ametryn (µg/L)	0.055
S6	5/18/2006	10:25:00	0	Atrazine (µg/L)	1.2
S6	5/24/2006	08:40:00	0	Alkalinity (mg/L)	253
S6	5/24/2006	08:40:00	0	Ammonia as N (mg/L)	0.218
S6	5/24/2006	08:40:00	0	Dissolved Chloride (mg/L)	106
S6	5/24/2006	08:40:00	0	Dissolved Oxygen (mg/L)	6.56
S6	5/24/2006	08:40:00	0	Nitrate + Nitrite (mg/L)	1.43
S6	5/24/2006	08:40:00	0	Orthophosphate as P (mg/L)	0.043
S6	5/24/2006	08:40:00	0	pH	7.59
S6	5/24/2006	08:40:00	0	Specific Conductivity (µS/cm)	935
S6	5/24/2006	08:40:00	0	Sulfate (mg/L)	59.8
S6	5/24/2006	08:40:00	0	Temperature (°C)	28.7
S6	5/24/2006	08:40:00	0	Total Dissolved Phosphorus (mg/L)	0.088
S6	5/24/2006	08:40:00	0	Total Dissolved Solids (mg/L)	596
S6	5/24/2006	08:40:00	0	Total Phosphorus (mg/L)	0.184
S6	5/24/2006	08:40:00	0	Turbidity (NTU)	4.8
S6	5/24/2006	08:45:00	24	Nitrate + Nitrite (mg/L)	2.2
S6	5/24/2006	08:45:00	24	Total Phosphorus (mg/L)	0.149
S6	5/31/2006	14:00:00	0	Dissolved Oxygen (mg/L)	8.1
S6	5/31/2006	14:00:00	0	Orthophosphate as P (mg/L)	0.025
S6	5/31/2006	14:00:00	0	pH	8
S6	5/31/2006	14:00:00	0	Specific Conductivity (µS/cm)	947
S6	5/31/2006	14:00:00	0	Temperature (°C)	29.9
S6	5/31/2006	14:00:00	0	Total Dissolved Phosphorus (mg/L)	0.048
S6	5/31/2006	14:00:00	0	Total Phosphorus (mg/L)	0.135
S6	5/31/2006	14:05:00	24	Nitrate + Nitrite (mg/L)	1.09
S6	5/31/2006	14:05:00	24	Total Phosphorus (mg/L)	0.142
S6	6/7/2006	08:55:00	0	Alkalinity (mg/L)	250
S6	6/7/2006	08:55:00	0	Ammonia as N (mg/L)	0.028
S6	6/7/2006	08:55:00	0	Dissolved Chloride (mg/L)	103
S6	6/7/2006	08:55:00	0	Dissolved Oxygen (mg/L)	3.85
S6	6/7/2006	08:55:00	0	Nitrate + Nitrite (mg/L)	0.662
S6	6/7/2006	08:55:00	0	Orthophosphate as P (mg/L)	0.027
S6	6/7/2006	08:55:00	0	pH	7.78
S6	6/7/2006	08:55:00	0	Specific Conductivity (µS/cm)	997
S6	6/7/2006	08:55:00	0	Sulfate (mg/L)	69.3
S6	6/7/2006	08:55:00	0	Temperature (°C)	29.2
S6	6/7/2006	08:55:00	0	Total Dissolved Phosphorus (mg/L)	0.04
S6	6/7/2006	08:55:00	0	Total Dissolved Solids (mg/L)	608
S6	6/7/2006	08:55:00	0	Total Phosphorus (mg/L)	0.08
S6	6/7/2006	08:55:00	0	Turbidity (NTU)	2.7
S6	6/7/2006	09:00:00	24	Nitrate + Nitrite (mg/L)	0.863
S6	6/7/2006	09:00:00	24	Total Phosphorus (mg/L)	0.105
S6	6/14/2006	12:20:00	0	Dissolved Oxygen (mg/L)	3.93
S6	6/14/2006	12:20:00	0	Orthophosphate as P (mg/L)	0.079
S6	6/14/2006	12:20:00	0	pH	7.65
S6	6/14/2006	12:20:00	0	Specific Conductivity (µS/cm)	604

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	6/14/2006	12:20:00	0	Temperature (°C)	29
S6	6/14/2006	12:20:00	0	Total Dissolved Phosphorus (mg/L)	0.09
S6	6/14/2006	12:20:00	0	Total Phosphorus (mg/L)	0.108
S6	6/14/2006	12:25:00	24	Nitrate + Nitrite (mg/L)	0.483
S6	6/14/2006	12:25:00	24	Total Phosphorus (mg/L)	0.087
S6	6/21/2006	09:00:00	0	Alkalinity (mg/L)	231
S6	6/21/2006	09:00:00	0	Ammonia as N (mg/L)	0.319
S6	6/21/2006	09:00:00	0	Dissolved Chloride (mg/L)	122
S6	6/21/2006	09:00:00	0	Dissolved Oxygen (mg/L)	1.68
S6	6/21/2006	09:00:00	0	Nitrate + Nitrite (mg/L)	3.51
S6	6/21/2006	09:00:00	0	Orthophosphate as P (mg/L)	0.027
S6	6/21/2006	09:00:00	0	pH	7.45
S6	6/21/2006	09:00:00	0	Specific Conductivity (µS/cm)	957
S6	6/21/2006	09:00:00	0	Sulfate (mg/L)	49
S6	6/21/2006	09:00:00	0	Temperature (°C)	27.8
S6	6/21/2006	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.038
S6	6/21/2006	09:00:00	0	Total Dissolved Solids (mg/L)	612
S6	6/21/2006	09:00:00	0	Total Phosphorus (mg/L)	0.077
S6	6/21/2006	09:00:00	0	Turbidity (NTU)	3.9
S6	6/21/2006	09:10:00	24	Nitrate + Nitrite (mg/L)	0.514
S6	6/21/2006	09:10:00	24	Total Phosphorus (mg/L)	0.103
S6	6/28/2006	14:05:00	0	Dissolved Oxygen (mg/L)	2.67
S6	6/28/2006	14:05:00	0	Orthophosphate as P (mg/L)	0.19
S6	6/28/2006	14:05:00	0	pH	7.57
S6	6/28/2006	14:05:00	0	Specific Conductivity (µS/cm)	810
S6	6/28/2006	14:05:00	0	Temperature (°C)	27.9
S6	6/28/2006	14:05:00	0	Total Dissolved Phosphorus (mg/L)	0.204
S6	6/28/2006	14:05:00	0	Total Phosphorus (mg/L)	0.302
S6	6/28/2006	14:10:00	24	Nitrate + Nitrite (mg/L)	1.56
S6	6/28/2006	14:10:00	24	Total Phosphorus (mg/L)	0.177
S6	7/6/2006	14:40:00	0	Alkalinity (mg/L)	293
S6	7/6/2006	14:40:00	0	Ammonia as N (mg/L)	0.202
S6	7/6/2006	14:40:00	0	Dissolved Chloride (mg/L)	123
S6	7/6/2006	14:40:00	0	Dissolved Oxygen (mg/L)	1.94
S6	7/6/2006	14:40:00	0	Nitrate + Nitrite (mg/L)	0.992
S6	7/6/2006	14:40:00	0	Orthophosphate as P (mg/L)	0.127
S6	7/6/2006	14:40:00	0	pH	7.12
S6	7/6/2006	14:40:00	0	Specific Conductivity (µS/cm)	1081
S6	7/6/2006	14:40:00	0	Sulfate (mg/L)	66.6
S6	7/6/2006	14:40:00	0	Temperature (°C)	29.8
S6	7/6/2006	14:40:00	0	Total Dissolved Phosphorus (mg/L)	0.14
S6	7/6/2006	14:40:00	0	Total Dissolved Solids (mg/L)	706
S6	7/6/2006	14:40:00	0	Total Phosphorus (mg/L)	0.157
S6	7/6/2006	14:40:00	0	Turbidity (NTU)	4.4
S6	7/6/2006	14:55:00	24	Nitrate + Nitrite (mg/L)	1.88
S6	7/6/2006	14:55:00	24	Total Phosphorus (mg/L)	0.216
S6	7/12/2006	13:30:00	0	Dissolved Oxygen (mg/L)	3.1
S6	7/12/2006	13:30:00	0	Orthophosphate as P (mg/L)	0.08
S6	7/12/2006	13:30:00	0	pH	7.47
S6	7/12/2006	13:30:00	0	Specific Conductivity (µS/cm)	1105

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	7/12/2006	13:30:00	0	Temperature (°C)	27.9
S6	7/12/2006	13:30:00	0	Total Dissolved Phosphorus (mg/L)	0.092
S6	7/12/2006	13:30:00	0	Total Phosphorus (mg/L)	0.118
S6	7/12/2006	13:35:00	24	Nitrate + Nitrite (mg/L)	0.689
S6	7/12/2006	13:35:00	24	Total Phosphorus (mg/L)	0.113
S6	7/19/2006	08:53:00	0	Alkalinity (mg/L)	321
S6	7/19/2006	08:53:00	0	Ammonia as N (mg/L)	0.411
S6	7/19/2006	08:53:00	0	Dissolved Chloride (mg/L)	131
S6	7/19/2006	08:53:00	0	Dissolved Oxygen (mg/L)	1.36
S6	7/19/2006	08:53:00	0	Nitrate + Nitrite (mg/L)	0.63
S6	7/19/2006	08:53:00	0	Orthophosphate as P (mg/L)	0.1
S6	7/19/2006	08:53:00	0	pH	7.26
S6	7/19/2006	08:53:00	0	Specific Conductivity (µS/cm)	1079
S6	7/19/2006	08:53:00	0	Sulfate (mg/L)	66.4
S6	7/19/2006	08:53:00	0	Temperature (°C)	28.8
S6	7/19/2006	08:53:00	0	Total Dissolved Phosphorus (mg/L)	0.111
S6	7/19/2006	08:53:00	0	Total Dissolved Solids (mg/L)	729
S6	7/19/2006	08:53:00	0	Total Phosphorus (mg/L)	0.128
S6	7/19/2006	08:53:00	0	Turbidity (NTU)	3.3
S6	7/19/2006	09:00:00	24	Nitrate + Nitrite (mg/L)	1.05
S6	7/19/2006	09:00:00	24	Total Phosphorus (mg/L)	0.151
S6	7/26/2006	09:35:00	0	Ametryn (µg/L)	0.055
S6	7/26/2006	09:35:00	0	Atrazine (µg/L)	0.18
S6	7/26/2006	13:00:00	0	Dissolved Oxygen (mg/L)	1.15
S6	7/26/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.094
S6	7/26/2006	13:00:00	0	pH	7.27
S6	7/26/2006	13:00:00	0	Specific Conductivity (µS/cm)	1413
S6	7/26/2006	13:00:00	0	Temperature (°C)	29.6
S6	7/26/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.107
S6	7/26/2006	13:00:00	0	Total Phosphorus (mg/L)	0.122
S6	7/26/2006	13:05:00	24	Nitrate + Nitrite (mg/L)	0.856
S6	7/26/2006	13:05:00	24	Total Phosphorus (mg/L)	0.131
S6	8/2/2006	09:00:00	0	Alkalinity (mg/L)	336
S6	8/2/2006	09:00:00	0	Ammonia as N (mg/L)	0.239
S6	8/2/2006	09:00:00	0	Dissolved Chloride (mg/L)	148
S6	8/2/2006	09:00:00	0	Dissolved Oxygen (mg/L)	2.35
S6	8/2/2006	09:00:00	0	Nitrate + Nitrite (mg/L)	0.644
S6	8/2/2006	09:00:00	0	Orthophosphate as P (mg/L)	0.107
S6	8/2/2006	09:00:00	0	Specific Conductivity (µS/cm)	1345
S6	8/2/2006	09:00:00	0	Sulfate (mg/L)	124
S6	8/2/2006	09:00:00	0	Temperature (°C)	29
S6	8/2/2006	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.122
S6	8/2/2006	09:00:00	0	Total Dissolved Solids (mg/L)	905
S6	8/2/2006	09:00:00	0	Total Phosphorus (mg/L)	0.141
S6	8/2/2006	09:00:00	0	Turbidity (NTU)	1.9
S6	8/2/2006	09:10:00	24	Nitrate + Nitrite (mg/L)	0.609
S6	8/2/2006	09:10:00	24	Total Phosphorus (mg/L)	0.144
S6	8/9/2006	12:35:00	0	Dissolved Oxygen (mg/L)	2.09
S6	8/9/2006	12:35:00	0	Orthophosphate as P (mg/L)	0.044
S6	8/9/2006	12:35:00	0	pH	7.45

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	8/9/2006	12:35:00	0	Specific Conductivity (µS/cm)	1275
S6	8/9/2006	12:35:00	0	Temperature (°C)	29
S6	8/9/2006	12:35:00	0	Total Dissolved Phosphorus (mg/L)	0.052
S6	8/9/2006	12:35:00	0	Total Phosphorus (mg/L)	0.073
S6	8/9/2006	12:40:00	24	Total Phosphorus (mg/L)	0.268
S6	8/16/2006	08:50:00	0	Alkalinity (mg/L)	330
S6	8/16/2006	08:50:00	0	Ammonia as N (mg/L)	0.044
S6	8/16/2006	08:50:00	0	Dissolved Chloride (mg/L)	151
S6	8/16/2006	08:50:00	0	Dissolved Oxygen (mg/L)	3.26
S6	8/16/2006	08:50:00	0	Nitrate + Nitrite (mg/L)	0.094
S6	8/16/2006	08:50:00	0	Orthophosphate as P (mg/L)	0.008
S6	8/16/2006	08:50:00	0	pH	7.81
S6	8/16/2006	08:50:00	0	Specific Conductivity (µS/cm)	1254
S6	8/16/2006	08:50:00	0	Sulfate (mg/L)	94.8
S6	8/16/2006	08:50:00	0	Temperature (°C)	30.6
S6	8/16/2006	08:50:00	0	Total Dissolved Phosphorus (mg/L)	0.023
S6	8/16/2006	08:50:00	0	Total Dissolved Solids (mg/L)	840
S6	8/16/2006	08:50:00	0	Total Phosphorus (mg/L)	0.087
S6	8/16/2006	08:50:00	0	Turbidity (NTU)	3.9
S6	8/23/2006	14:30:00	0	Dissolved Oxygen (mg/L)	1.85
S6	8/23/2006	14:30:00	0	Orthophosphate as P (mg/L)	0.223
S6	8/23/2006	14:30:00	0	pH	7.43
S6	8/23/2006	14:30:00	0	Specific Conductivity (µS/cm)	1045
S6	8/23/2006	14:30:00	0	Temperature (°C)	27.8
S6	8/23/2006	14:30:00	0	Total Dissolved Phosphorus (mg/L)	0.237
S6	8/23/2006	14:30:00	0	Total Phosphorus (mg/L)	0.267
S6	8/23/2006	14:35:00	24	Nitrate + Nitrite (mg/L)	1.36
S6	8/23/2006	14:35:00	24	Total Phosphorus (mg/L)	0.28
S6	8/31/2006	09:00:00	0	Alkalinity (mg/L)	387
S6	8/31/2006	09:00:00	0	Ammonia as N (mg/L)	0.207
S6	8/31/2006	09:00:00	0	Dissolved Chloride (mg/L)	135
S6	8/31/2006	09:00:00	0	Dissolved Oxygen (mg/L)	3.07
S6	8/31/2006	09:00:00	0	Nitrate + Nitrite (mg/L)	0.69
S6	8/31/2006	09:00:00	0	Orthophosphate as P (mg/L)	0.155
S6	8/31/2006	09:00:00	0	pH	7.22
S6	8/31/2006	09:00:00	0	Specific Conductivity (µS/cm)	1298
S6	8/31/2006	09:00:00	0	Sulfate (mg/L)	92.4
S6	8/31/2006	09:00:00	0	Temperature (°C)	26.4
S6	8/31/2006	09:00:00	0	Total Dissolved Phosphorus (mg/L)	0.168
S6	8/31/2006	09:00:00	0	Total Dissolved Solids (mg/L)	886
S6	8/31/2006	09:00:00	0	Total Phosphorus (mg/L)	0.214
S6	8/31/2006	09:00:00	0	Turbidity (NTU)	17.3
S6	8/31/2006	09:05:00	24	Nitrate + Nitrite (mg/L)	<0.006
S6	8/31/2006	09:05:00	24	Total Phosphorus (mg/L)	0.196
S6	9/6/2006	14:05:00	0	Dissolved Oxygen (mg/L)	1.64
S6	9/6/2006	14:05:00	0	Orthophosphate as P (mg/L)	0.172
S6	9/6/2006	14:05:00	0	pH	7.04
S6	9/6/2006	14:05:00	0	Specific Conductivity (µS/cm)	1032
S6	9/6/2006	14:05:00	0	Temperature (°C)	26.4
S6	9/6/2006	14:05:00	0	Total Dissolved Phosphorus (mg/L)	0.18

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	9/6/2006	14:05:00	0	Total Phosphorus (mg/L)	0.2
S6	9/6/2006	14:10:00	24	Nitrate + Nitrite (mg/L)	0.572
S6	9/6/2006	14:10:00	24	Total Phosphorus (mg/L)	0.151
S6	9/13/2006	09:20:00	0	Alkalinity (mg/L)	379
S6	9/13/2006	09:20:00	0	Ammonia as N (mg/L)	0.593
S6	9/13/2006	09:20:00	0	Dissolved Chloride (mg/L)	162
S6	9/13/2006	09:20:00	0	Dissolved Oxygen (mg/L)	1.3
S6	9/13/2006	09:20:00	0	Nitrate + Nitrite (mg/L)	0.399
S6	9/13/2006	09:20:00	0	Orthophosphate as P (mg/L)	0.043
S6	9/13/2006	09:20:00	0	pH	7.14
S6	9/13/2006	09:20:00	0	Specific Conductivity (μ S/cm)	1275
S6	9/13/2006	09:20:00	0	Sulfate (mg/L)	49.8
S6	9/13/2006	09:20:00	0	Temperature ($^{\circ}$ C)	27.8
S6	9/13/2006	09:20:00	0	Total Dissolved Phosphorus (mg/L)	0.051
S6	9/13/2006	09:20:00	0	Total Dissolved Solids (mg/L)	843
S6	9/13/2006	09:20:00	0	Total Phosphorus (mg/L)	0.079
S6	9/13/2006	09:20:00	0	Turbidity (NTU)	8.2
S6	9/13/2006	09:30:00	24	Nitrate + Nitrite (mg/L)	0.41
S6	9/13/2006	09:30:00	24	Total Phosphorus (mg/L)	0.153
S6	9/20/2006	13:00:00	0	Dissolved Oxygen (mg/L)	2.28
S6	9/20/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.051
S6	9/20/2006	13:00:00	0	pH	7.37
S6	9/20/2006	13:00:00	0	Specific Conductivity (μ S/cm)	1216
S6	9/20/2006	13:00:00	0	Temperature ($^{\circ}$ C)	28.6
S6	9/20/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.062
S6	9/20/2006	13:00:00	0	Total Phosphorus (mg/L)	0.094
S6	9/20/2006	13:05:00	24	Nitrate + Nitrite (mg/L)	0.257
S6	9/20/2006	13:05:00	24	Total Phosphorus (mg/L)	0.106
S6	9/27/2006	08:35:00	0	Alkalinity (mg/L)	353
S6	9/27/2006	08:35:00	0	Ammonia as N (mg/L)	0.06
S6	9/27/2006	08:35:00	0	Dissolved Chloride (mg/L)	152
S6	9/27/2006	08:35:00	0	Dissolved Oxygen (mg/L)	4.54
S6	9/27/2006	08:35:00	0	Nitrate + Nitrite (mg/L)	0.341
S6	9/27/2006	08:35:00	0	Orthophosphate as P (mg/L)	0.038
S6	9/27/2006	08:35:00	0	pH	7.55
S6	9/27/2006	08:35:00	0	Specific Conductivity (μ S/cm)	1292
S6	9/27/2006	08:35:00	0	Sulfate (mg/L)	70.3
S6	9/27/2006	08:35:00	0	Temperature ($^{\circ}$ C)	29.3
S6	9/27/2006	08:35:00	0	Total Dissolved Phosphorus (mg/L)	0.059
S6	9/27/2006	08:35:00	0	Total Dissolved Solids (mg/L)	842
S6	9/27/2006	08:35:00	0	Total Phosphorus (mg/L)	0.127
S6	9/27/2006	08:35:00	0	Turbidity (NTU)	2.6
S6	9/27/2006	08:40:00	24	Nitrate + Nitrite (mg/L)	0.372
S6	9/27/2006	08:40:00	24	Total Phosphorus (mg/L)	0.113
S6	10/4/2006	13:00:00	0	Dissolved Oxygen (mg/L)	2.89
S6	10/4/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.014
S6	10/4/2006	13:00:00	0	pH	7.5
S6	10/4/2006	13:00:00	0	Specific Conductivity (μ S/cm)	1288
S6	10/4/2006	13:00:00	0	Temperature ($^{\circ}$ C)	28
S6	10/4/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.026

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	10/4/2006	13:00:00	0	Total Phosphorus (mg/L)	0.034
S6	10/4/2006	13:05:00	24	Nitrate + Nitrite (mg/L)	0.188
S6	10/4/2006	13:05:00	24	Total Phosphorus (mg/L)	0.108
S6	10/11/2006	13:50:00	0	Alkalinity (mg/L)	357
S6	10/11/2006	13:50:00	0	Ammonia as N (mg/L)	0.021
S6	10/11/2006	13:50:00	0	Dissolved Chloride (mg/L)	158.8
S6	10/11/2006	13:50:00	0	Dissolved Oxygen (mg/L)	11.1
S6	10/11/2006	13:50:00	0	Nitrate + Nitrite (mg/L)	0.144
S6	10/11/2006	13:50:00	0	Orthophosphate as P (mg/L)	0.005
S6	10/11/2006	13:50:00	0	pH	8.2
S6	10/11/2006	13:50:00	0	Specific Conductivity (µS/cm)	1251
S6	10/11/2006	13:50:00	0	Sulfate (mg/L)	54.9
S6	10/11/2006	13:50:00	0	Temperature (°C)	28.6
S6	10/11/2006	13:50:00	0	Total Dissolved Phosphorus (mg/L)	0.02
S6	10/11/2006	13:50:00	0	Total Dissolved Solids (mg/L)	821
S6	10/11/2006	13:50:00	0	Total Phosphorus (mg/L)	0.245
S6	10/11/2006	13:50:00	0	Turbidity (NTU)	14.4
S6	10/18/2006	15:30:00	0	Dissolved Oxygen (mg/L)	0.97
S6	10/18/2006	15:30:00	0	Orthophosphate as P (mg/L)	0.017
S6	10/18/2006	15:30:00	0	pH	7.4
S6	10/18/2006	15:30:00	0	Specific Conductivity (µS/cm)	1235
S6	10/18/2006	15:30:00	0	Temperature (°C)	27.1
S6	10/18/2006	15:30:00	0	Total Dissolved Phosphorus (mg/L)	0.025
S6	10/18/2006	15:30:00	0	Total Phosphorus (mg/L)	0.037
S6	10/25/2006	12:15:00	0	Alkalinity (mg/L)	329
S6	10/25/2006	12:15:00	0	Ammonia as N (mg/L)	0.133
S6	10/25/2006	12:15:00	0	Dissolved Chloride (mg/L)	149.2
S6	10/25/2006	12:15:00	0	Dissolved Oxygen (mg/L)	4.44
S6	10/25/2006	12:15:00	0	Nitrate + Nitrite (mg/L)	0.132
S6	10/25/2006	12:15:00	0	Orthophosphate as P (mg/L)	<0.004
S6	10/25/2006	12:15:00	0	pH	7.9
S6	10/25/2006	12:15:00	0	Specific Conductivity (µS/cm)	1180
S6	10/25/2006	12:15:00	0	Sulfate (mg/L)	51.5
S6	10/25/2006	12:15:00	0	Temperature (°C)	25.6
S6	10/25/2006	12:15:00	0	Total Dissolved Phosphorus (mg/L)	0.011
S6	10/25/2006	12:15:00	0	Total Dissolved Solids (mg/L)	774
S6	10/25/2006	12:15:00	0	Total Phosphorus (mg/L)	0.083
S6	10/25/2006	12:15:00	0	Turbidity (NTU)	5.1
S6	10/25/2006	12:20:00	24	Nitrate + Nitrite (mg/L)	0.035
S6	11/1/2006	14:00:00	0	Dissolved Oxygen (mg/L)	3.14
S6	11/1/2006	14:00:00	0	Orthophosphate as P (mg/L)	0.014
S6	11/1/2006	14:00:00	0	pH	7.4
S6	11/1/2006	14:00:00	0	Specific Conductivity (µS/cm)	1210
S6	11/1/2006	14:00:00	0	Temperature (°C)	24.9
S6	11/1/2006	14:00:00	0	Total Dissolved Phosphorus (mg/L)	0.023
S6	11/1/2006	14:00:00	0	Total Phosphorus (mg/L)	0.026
S6	11/1/2006	14:05:00	24	Nitrate + Nitrite (mg/L)	0.131
S6	11/1/2006	14:05:00	24	Total Phosphorus (mg/L)	0.054
S6	11/2/2006	10:20:00	0	Ametryn (µg/L)	0.089
S6	11/2/2006	10:20:00	0	Atrazine (µg/L)	0.12

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	11/8/2006	11:00:00	0	Alkalinity (mg/L)	296
S6	11/8/2006	11:00:00	0	Ammonia as N (mg/L)	0.517
S6	11/8/2006	11:00:00	0	Dissolved Chloride (mg/L)	146.9
S6	11/8/2006	11:00:00	0	Dissolved Oxygen (mg/L)	2.17
S6	11/8/2006	11:00:00	0	Nitrate + Nitrite (mg/L)	0.114
S6	11/8/2006	11:00:00	0	Orthophosphate as P (mg/L)	0.007
S6	11/8/2006	11:00:00	0	pH	7.3
S6	11/8/2006	11:00:00	0	Specific Conductivity (µS/cm)	1106
S6	11/8/2006	11:00:00	0	Sulfate (mg/L)	46.3
S6	11/8/2006	11:00:00	0	Temperature (°C)	24.1
S6	11/8/2006	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.012
S6	11/8/2006	11:00:00	0	Total Dissolved Solids (mg/L)	676
S6	11/8/2006	11:00:00	0	Total Phosphorus (mg/L)	0.025
S6	11/8/2006	11:00:00	0	Turbidity (NTU)	2
S6	11/8/2006	11:05:00	24	Nitrate + Nitrite (mg/L)	0.167
S6	11/8/2006	11:05:00	24	Total Phosphorus (mg/L)	0.072
S6	11/15/2006	12:25:00	0	Dissolved Oxygen (mg/L)	1.15
S6	11/15/2006	12:25:00	0	Orthophosphate as P (mg/L)	<0.004
S6	11/15/2006	12:25:00	0	pH	7.4
S6	11/15/2006	12:25:00	0	Specific Conductivity (µS/cm)	1063
S6	11/15/2006	12:25:00	0	Temperature (°C)	24.3
S6	11/15/2006	12:25:00	0	Total Dissolved Phosphorus (mg/L)	0.011
S6	11/15/2006	12:25:00	0	Total Phosphorus (mg/L)	0.036
S6	11/22/2006	10:30:00	0	Alkalinity (mg/L)	306
S6	11/22/2006	10:30:00	0	Ammonia as N (mg/L)	0.171
S6	11/22/2006	10:30:00	0	Dissolved Chloride (mg/L)	161.2
S6	11/22/2006	10:30:00	0	Dissolved Oxygen (mg/L)	4.75
S6	11/22/2006	10:30:00	0	Nitrate + Nitrite (mg/L)	0.35
S6	11/22/2006	10:30:00	0	Orthophosphate as P (mg/L)	0.011
S6	11/22/2006	10:30:00	0	pH	7.7
S6	11/22/2006	10:30:00	0	Specific Conductivity (µS/cm)	1175
S6	11/22/2006	10:30:00	0	Sulfate (mg/L)	46.8
S6	11/22/2006	10:30:00	0	Temperature (°C)	20.3
S6	11/22/2006	10:30:00	0	Total Dissolved Phosphorus (mg/L)	0.017
S6	11/22/2006	10:30:00	0	Total Dissolved Solids (mg/L)	754
S6	11/22/2006	10:30:00	0	Total Phosphorus (mg/L)	0.025
S6	11/22/2006	10:30:00	0	Turbidity (NTU)	2.1
S6	11/22/2006	10:35:00	24	Nitrate + Nitrite (mg/L)	0.162
S6	11/22/2006	10:35:00	24	Total Phosphorus (mg/L)	0.04
S6	11/29/2006	12:40:00	0	Dissolved Oxygen (mg/L)	4.52
S6	11/29/2006	12:40:00	0	Orthophosphate as P (mg/L)	0.022
S6	11/29/2006	12:40:00	0	pH	7.6
S6	11/29/2006	12:40:00	0	Specific Conductivity (µS/cm)	865
S6	11/29/2006	12:40:00	0	Temperature (°C)	20.8
S6	11/29/2006	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.033
S6	11/29/2006	12:40:00	0	Total Phosphorus (mg/L)	0.039
S6	11/29/2006	12:45:00	24	Nitrate + Nitrite (mg/L)	0.319
S6	11/29/2006	12:45:00	24	Total Phosphorus (mg/L)	0.033
S6	12/6/2006	12:40:00	0	Alkalinity (mg/L)	260
S6	12/6/2006	12:40:00	0	Ammonia as N (mg/L)	0.204

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	12/6/2006	12:40:00	0	Dissolved Chloride (mg/L)	119.1
S6	12/6/2006	12:40:00	0	Dissolved Oxygen (mg/L)	2.86
S6	12/6/2006	12:40:00	0	Nitrate + Nitrite (mg/L)	0.162
S6	12/6/2006	12:40:00	0	Orthophosphate as P (mg/L)	0.004
S6	12/6/2006	12:40:00	0	pH	7.5
S6	12/6/2006	12:40:00	0	Specific Conductivity (µS/cm)	970
S6	12/6/2006	12:40:00	0	Sulfate (mg/L)	45.1
S6	12/6/2006	12:40:00	0	Temperature (°C)	22.3
S6	12/6/2006	12:40:00	0	Total Dissolved Phosphorus (mg/L)	0.012
S6	12/6/2006	12:40:00	0	Total Dissolved Solids (mg/L)	594
S6	12/6/2006	12:40:00	0	Total Phosphorus (mg/L)	0.032
S6	12/6/2006	12:40:00	0	Turbidity (NTU)	2.8
S6	12/13/2006	14:25:00	0	Dissolved Oxygen (mg/L)	0.43
S6	12/13/2006	14:25:00	0	Orthophosphate as P (mg/L)	0.007
S6	12/13/2006	14:25:00	0	pH	7.5
S6	12/13/2006	14:25:00	0	Specific Conductivity (µS/cm)	1146
S6	12/13/2006	14:25:00	0	Temperature (°C)	21.3
S6	12/13/2006	14:25:00	0	Total Dissolved Phosphorus (mg/L)	0.014
S6	12/13/2006	14:25:00	0	Total Phosphorus (mg/L)	0.024
S6	12/20/2006	12:05:00	0	Alkalinity (mg/L)	246
S6	12/20/2006	12:05:00	0	Ammonia as N (mg/L)	0.361
S6	12/20/2006	12:05:00	0	Dissolved Chloride (mg/L)	126.4
S6	12/20/2006	12:05:00	0	Dissolved Oxygen (mg/L)	2.39
S6	12/20/2006	12:05:00	0	Nitrate + Nitrite (mg/L)	0.311
S6	12/20/2006	12:05:00	0	Orthophosphate as P (mg/L)	0.033
S6	12/20/2006	12:05:00	0	pH	7.4
S6	12/20/2006	12:05:00	0	Specific Conductivity (µS/cm)	960
S6	12/20/2006	12:05:00	0	Sulfate (mg/L)	47.2
S6	12/20/2006	12:05:00	0	Temperature (°C)	22.5
S6	12/20/2006	12:05:00	0	Total Dissolved Phosphorus (mg/L)	0.042
S6	12/20/2006	12:05:00	0	Total Dissolved Solids (mg/L)	605
S6	12/20/2006	12:05:00	0	Total Phosphorus (mg/L)	0.055
S6	12/20/2006	12:05:00	0	Turbidity (NTU)	2.9
S6	12/20/2006	12:10:00	24	Nitrate + Nitrite (mg/L)	0.343
S6	12/20/2006	12:10:00	24	Total Phosphorus (mg/L)	0.073
S6	12/28/2006	13:00:00	0	Dissolved Oxygen (mg/L)	1.83
S6	12/28/2006	13:00:00	0	Orthophosphate as P (mg/L)	0.032
S6	12/28/2006	13:00:00	0	pH	7.4
S6	12/28/2006	13:00:00	0	Specific Conductivity (µS/cm)	1243
S6	12/28/2006	13:00:00	0	Temperature (°C)	21.8
S6	12/28/2006	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.04
S6	12/28/2006	13:00:00	0	Total Phosphorus (mg/L)	0.062
S6	12/28/2006	13:05:00	24	Nitrate + Nitrite (mg/L)	0.298
S6	12/28/2006	13:05:00	24	Total Phosphorus (mg/L)	0.065
S6	1/3/2007	11:10:00	0	Alkalinity (mg/L)	300
S6	1/3/2007	11:10:00	0	Ammonia as N (mg/L)	0.357
S6	1/3/2007	11:10:00	0	Dissolved Chloride (mg/L)	160.9
S6	1/3/2007	11:10:00	0	Dissolved Oxygen (mg/L)	3.68
S6	1/3/2007	11:10:00	0	Nitrate + Nitrite (mg/L)	0.28
S6	1/3/2007	11:10:00	0	Orthophosphate as P (mg/L)	0.012

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	1/3/2007	11:10:00	0	pH	7.5
S6	1/3/2007	11:10:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1174
S6	1/3/2007	11:10:00	0	Sulfate (mg/L)	51.9
S6	1/3/2007	11:10:00	0	Temperature ($^{\circ}\text{C}$)	23.5
S6	1/3/2007	11:10:00	0	Total Dissolved Phosphorus (mg/L)	0.019
S6	1/3/2007	11:10:00	0	Total Dissolved Solids (mg/L)	745
S6	1/3/2007	11:10:00	0	Total Phosphorus (mg/L)	0.044
S6	1/3/2007	11:10:00	0	Turbidity (NTU)	1
S6	1/10/2007	11:50:00	0	Dissolved Oxygen (mg/L)	1.3
S6	1/10/2007	11:50:00	0	Orthophosphate as P (mg/L)	<0.004
S6	1/10/2007	11:50:00	0	pH	7.5
S6	1/10/2007	11:50:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1243
S6	1/10/2007	11:50:00	0	Temperature ($^{\circ}\text{C}$)	22.2
S6	1/10/2007	11:50:00	0	Total Phosphorus (mg/L)	0.027
S6	1/17/2007	13:00:00	0	Alkalinity (mg/L)	317
S6	1/17/2007	13:00:00	0	Ammonia as N (mg/L)	0.348
S6	1/17/2007	13:00:00	0	Dissolved Chloride (mg/L)	165
S6	1/17/2007	13:00:00	0	Dissolved Oxygen (mg/L)	2.68
S6	1/17/2007	13:00:00	0	Nitrate + Nitrite (mg/L)	0.167
S6	1/17/2007	13:00:00	0	Orthophosphate as P (mg/L)	<0.004
S6	1/17/2007	13:00:00	0	pH	7.4
S6	1/17/2007	13:00:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1212
S6	1/17/2007	13:00:00	0	Sulfate (mg/L)	48
S6	1/17/2007	13:00:00	0	Temperature ($^{\circ}\text{C}$)	22.9
S6	1/17/2007	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.011
S6	1/17/2007	13:00:00	0	Total Dissolved Solids (mg/L)	762
S6	1/17/2007	13:00:00	0	Total Phosphorus (mg/L)	0.024
S6	1/17/2007	13:00:00	0	Turbidity (NTU)	1.2
S6	1/24/2007	13:40:00	0	Dissolved Oxygen (mg/L)	4.24
S6	1/24/2007	13:40:00	0	Orthophosphate as P (mg/L)	<0.004
S6	1/24/2007	13:40:00	0	pH	7.7
S6	1/24/2007	13:40:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1189
S6	1/24/2007	13:40:00	0	Temperature ($^{\circ}\text{C}$)	24
S6	1/24/2007	13:40:00	0	Total Phosphorus (mg/L)	0.03
S6	1/24/2007	13:45:00	24	Total Phosphorus (mg/L)	0.033
S6	1/31/2007	09:10:00	0	Alkalinity (mg/L)	328
S6	1/31/2007	09:10:00	0	Ammonia as N (mg/L)	0.338
S6	1/31/2007	09:10:00	0	Dissolved Chloride (mg/L)	175
S6	1/31/2007	09:10:00	0	Dissolved Oxygen (mg/L)	2.03
S6	1/31/2007	09:10:00	0	Nitrate + Nitrite (mg/L)	0.26
S6	1/31/2007	09:10:00	0	Orthophosphate as P (mg/L)	<0.004
S6	1/31/2007	09:10:00	0	pH	7.5
S6	1/31/2007	09:10:00	0	Specific Conductivity ($\mu\text{S}/\text{cm}$)	1239
S6	1/31/2007	09:10:00	0	Sulfate (mg/L)	47.9
S6	1/31/2007	09:10:00	0	Temperature ($^{\circ}\text{C}$)	19.9
S6	1/31/2007	09:10:00	0	Total Dissolved Phosphorus (mg/L)	0.007
S6	1/31/2007	09:10:00	0	Total Dissolved Solids (mg/L)	785
S6	1/31/2007	09:10:00	0	Total Phosphorus (mg/L)	0.02
S6	1/31/2007	09:10:00	0	Turbidity (NTU)	1.9
S6	2/7/2007	12:20:00	0	Dissolved Oxygen (mg/L)	3.69

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	2/7/2007	12:20:00	0	Orthophosphate as P (mg/L)	<0.004
S6	2/7/2007	12:20:00	0	pH	7.6
S6	2/7/2007	12:20:00	0	Specific Conductivity (µS/cm)	1226
S6	2/7/2007	12:20:00	0	Temperature (°C)	20.3
S6	2/7/2007	12:20:00	0	Total Dissolved Phosphorus (mg/L)	0.008
S6	2/7/2007	12:20:00	0	Total Phosphorus (mg/L)	0.018
S6	2/14/2007	11:50:00	0	Alkalinity (mg/L)	334
S6	2/14/2007	11:50:00	0	Ammonia as N (mg/L)	0.357
S6	2/14/2007	11:50:00	0	Dissolved Chloride (mg/L)	184
S6	2/14/2007	11:50:00	0	Dissolved Oxygen (mg/L)	4.4
S6	2/14/2007	11:50:00	0	Nitrate + Nitrite (mg/L)	0.29
S6	2/14/2007	11:50:00	0	Orthophosphate as P (mg/L)	<0.002
S6	2/14/2007	11:50:00	0	pH	7.6
S6	2/14/2007	11:50:00	0	Specific Conductivity (µS/cm)	1284
S6	2/14/2007	11:50:00	0	Sulfate (mg/L)	47.8
S6	2/14/2007	11:50:00	0	Temperature (°C)	22.6
S6	2/14/2007	11:50:00	0	Total Dissolved Phosphorus (mg/L)	0.007
S6	2/14/2007	11:50:00	0	Total Dissolved Solids (mg/L)	778
S6	2/14/2007	11:50:00	0	Total Phosphorus (mg/L)	0.018
S6	2/14/2007	11:50:00	0	Turbidity (NTU)	1.4
S6	2/21/2007	13:20:00	0	Dissolved Oxygen (mg/L)	3.97
S6	2/21/2007	13:20:00	0	Orthophosphate as P (mg/L)	0.005
S6	2/21/2007	13:20:00	0	pH	7.6
S6	2/21/2007	13:20:00	0	Specific Conductivity (µS/cm)	1285
S6	2/21/2007	13:20:00	0	Temperature (°C)	18.8
S6	2/21/2007	13:20:00	0	Total Dissolved Phosphorus (mg/L)	0.011
S6	2/21/2007	13:20:00	0	Total Phosphorus (mg/L)	0.018
S6	2/21/2007	13:25:00	24	Total Phosphorus (mg/L)	0.024
S6	2/28/2007	11:25:00	0	Alkalinity (mg/L)	330
S6	2/28/2007	11:25:00	0	Ammonia as N (mg/L)	0.073
S6	2/28/2007	11:25:00	0	Dissolved Chloride (mg/L)	179
S6	2/28/2007	11:25:00	0	Dissolved Oxygen (mg/L)	5.89
S6	2/28/2007	11:25:00	0	Nitrate + Nitrite (mg/L)	0.455
S6	2/28/2007	11:25:00	0	Orthophosphate as P (mg/L)	0.002
S6	2/28/2007	11:25:00	0	pH	7.8
S6	2/28/2007	11:25:00	0	Specific Conductivity (µS/cm)	1241
S6	2/28/2007	11:25:00	0	Sulfate (mg/L)	39.6
S6	2/28/2007	11:25:00	0	Temperature (°C)	23.8
S6	2/28/2007	11:25:00	0	Total Dissolved Phosphorus (mg/L)	0.007
S6	2/28/2007	11:25:00	0	Total Dissolved Solids (mg/L)	784
S6	2/28/2007	11:25:00	0	Total Phosphorus (mg/L)	0.017
S6	2/28/2007	11:25:00	0	Turbidity (NTU)	1.1
S6	3/7/2007	13:00:00	0	Dissolved Oxygen (mg/L)	5.26
S6	3/7/2007	13:00:00	0	Orthophosphate as P (mg/L)	<0.002
S6	3/7/2007	13:00:00	0	pH	7.9
S6	3/7/2007	13:00:00	0	Specific Conductivity (µS/cm)	1183
S6	3/7/2007	13:00:00	0	Temperature (°C)	21.8
S6	3/7/2007	13:00:00	0	Total Dissolved Phosphorus (mg/L)	0.007
S6	3/7/2007	13:00:00	0	Total Phosphorus (mg/L)	0.021
S6	3/14/2007	10:50:00	0	Alkalinity (mg/L)	321

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	3/14/2007	10:50:00	0	Ammonia as N (mg/L)	0.219
S6	3/14/2007	10:50:00	0	Dissolved Chloride (mg/L)	154
S6	3/14/2007	10:50:00	0	Dissolved Oxygen (mg/L)	2.21
S6	3/14/2007	10:50:00	0	Nitrate + Nitrite (mg/L)	0.212
S6	3/14/2007	10:50:00	0	Orthophosphate as P (mg/L)	<0.002
S6	3/14/2007	10:50:00	0	pH	7.4
S6	3/14/2007	10:50:00	0	Specific Conductivity (µS/cm)	1154
S6	3/14/2007	10:50:00	0	Sulfate (mg/L)	42.3
S6	3/14/2007	10:50:00	0	Temperature (°C)	21.8
S6	3/14/2007	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.009
S6	3/14/2007	10:50:00	0	Total Dissolved Solids (mg/L)	717
S6	3/14/2007	10:50:00	0	Total Phosphorus (mg/L)	0.022
S6	3/14/2007	10:50:00	0	Turbidity (NTU)	5
S6	3/21/2007	14:35:00	0	Dissolved Oxygen (mg/L)	5.88
S6	3/21/2007	14:35:00	0	Orthophosphate as P (mg/L)	0.031
S6	3/21/2007	14:35:00	0	pH	7.8
S6	3/21/2007	14:35:00	0	Specific Conductivity (µS/cm)	562.9
S6	3/21/2007	14:35:00	0	Temperature (°C)	21.7
S6	3/21/2007	14:35:00	0	Total Dissolved Phosphorus (mg/L)	0.041
S6	3/21/2007	14:35:00	0	Total Phosphorus (mg/L)	0.057
S6	3/21/2007	14:40:00	24	Nitrate + Nitrite (mg/L)	0.152
S6	3/21/2007	14:40:00	24	Total Phosphorus (mg/L)	0.048
S6	3/28/2007	10:50:00	0	Alkalinity (mg/L)	151
S6	3/28/2007	10:50:00	0	Ammonia as N (mg/L)	0.084
S6	3/28/2007	10:50:00	0	Dissolved Chloride (mg/L)	63.2
S6	3/28/2007	10:50:00	0	Dissolved Oxygen (mg/L)	6.04
S6	3/28/2007	10:50:00	0	Nitrate + Nitrite (mg/L)	0.071
S6	3/28/2007	10:50:00	0	Orthophosphate as P (mg/L)	0.03
S6	3/28/2007	10:50:00	0	pH	7.7
S6	3/28/2007	10:50:00	0	Specific Conductivity (µS/cm)	557
S6	3/28/2007	10:50:00	0	Sulfate (mg/L)	37.4
S6	3/28/2007	10:50:00	0	Temperature (°C)	22.6
S6	3/28/2007	10:50:00	0	Total Dissolved Phosphorus (mg/L)	0.037
S6	3/28/2007	10:50:00	0	Total Dissolved Solids (mg/L)	344
S6	3/28/2007	10:50:00	0	Total Phosphorus (mg/L)	0.062
S6	3/28/2007	10:50:00	0	Turbidity (NTU)	5.7
S6	3/28/2007	10:55:00	24	Nitrate + Nitrite (mg/L)	0.077
S6	3/28/2007	10:55:00	24	Total Phosphorus (mg/L)	0.061
S6	4/4/2007	14:00:00	0	Dissolved Oxygen (mg/L)	7.68
S6	4/4/2007	14:00:00	0	Orthophosphate as P (mg/L)	0.032
S6	4/4/2007	14:00:00	0	pH	8.1
S6	4/4/2007	14:00:00	0	Specific Conductivity (µS/cm)	581
S6	4/4/2007	14:00:00	0	Temperature (°C)	26.4
S6	4/4/2007	14:00:00	0	Total Dissolved Phosphorus (mg/L)	0.043
S6	4/4/2007	14:00:00	0	Total Phosphorus (mg/L)	0.059
S6	4/11/2007	09:15:00	0	Alkalinity (mg/L)	168
S6	4/11/2007	09:15:00	0	Ammonia as N (mg/L)	0.07
S6	4/11/2007	09:15:00	0	Dissolved Chloride (mg/L)	72.1
S6	4/11/2007	09:15:00	0	Dissolved Oxygen (mg/L)	6.43
S6	4/11/2007	09:15:00	0	Nitrate + Nitrite (mg/L)	0.073

Station	Date and Time Sampled		Sample Type	Parameter (Units)	Value
S6	4/11/2007	09:15:00	0	Orthophosphate as P (mg/L)	0.016
S6	4/11/2007	09:15:00	0	pH	7.9
S6	4/11/2007	09:15:00	0	Specific Conductivity (µS/cm)	626
S6	4/11/2007	09:15:00	0	Sulfate (mg/L)	38.6
S6	4/11/2007	09:15:00	0	Temperature (°C)	23.6
S6	4/11/2007	09:15:00	0	Total Dissolved Phosphorus (mg/L)	0.026
S6	4/11/2007	09:15:00	0	Total Dissolved Solids (mg/L)	392
S6	4/11/2007	09:15:00	0	Total Phosphorus (mg/L)	0.042
S6	4/11/2007	09:15:00	0	Turbidity (NTU)	2.7
S6	4/18/2007	12:45:00	0	Dissolved Oxygen (mg/L)	8.88
S6	4/18/2007	12:45:00	0	Orthophosphate as P (mg/L)	0.002
S6	4/18/2007	12:45:00	0	pH	7.9
S6	4/18/2007	12:45:00	0	Specific Conductivity (µS/cm)	1009
S6	4/18/2007	12:45:00	0	Temperature (°C)	24.4
S6	4/18/2007	12:45:00	0	Total Dissolved Phosphorus (mg/L)	0.012
S6	4/18/2007	12:45:00	0	Total Phosphorus (mg/L)	0.032
S6	4/25/2007	11:00:00	0	Alkalinity (mg/L)	287
S6	4/25/2007	11:00:00	0	Ammonia as N (mg/L)	0.184
S6	4/25/2007	11:00:00	0	Dissolved Chloride (mg/L)	150
S6	4/25/2007	11:00:00	0	Dissolved Oxygen (mg/L)	3.77
S6	4/25/2007	11:00:00	0	Nitrate + Nitrite (mg/L)	0.497
S6	4/25/2007	11:00:00	0	Orthophosphate as P (mg/L)	0.003
S6	4/25/2007	11:00:00	0	pH	7.8
S6	4/25/2007	11:00:00	0	Specific Conductivity (µS/cm)	1085
S6	4/25/2007	11:00:00	0	Sulfate (mg/L)	45.4
S6	4/25/2007	11:00:00	0	Temperature (°C)	23.6
S6	4/25/2007	11:00:00	0	Total Dissolved Phosphorus (mg/L)	0.01
S6	4/25/2007	11:00:00	0	Total Dissolved Solids (mg/L)	684
S6	4/25/2007	11:00:00	0	Total Phosphorus (mg/L)	0.018
S6	4/25/2007	11:00:00	0	Turbidity (NTU)	1.9